Resident	ldentifier	Date

# MINIMUM DATA SET (MDS) - Version 3.0 RESIDENT ASSESSMENT AND CARE SCREENING

Nursing Home Comprehensive (NC) Item Set

Section A	Identification Information
A0050. Type of Record	
2. Modify ex	record → Continue to A0100, Facility Provider Numbers  isting record → Continue to A0100, Facility Provider Numbers existing record → Skip to X0150, Type of Provider
A0100. Facility Provider N	
A. National Provi	der Identifier (NPI):
B. CMS Certificat	ion Number (CCN):
C. State Provider	Number:
A0200. Type of Provider	
Enter Code Type of provider 1. Nursing ho 2. Swing Bed	me (SNF/NF)
A0310. Type of Assessme	nt
01. Admission 02. Quarterly 03. Annual as 04. Significan 05. Significan	out change in status assessment out correction to prior comprehensive assessment out correction to prior quarterly assessment
01. <b>5-day</b> sche 02. <b>14-day</b> sch 03. <b>30-day</b> sch 04. <b>60-day</b> sch 05. <b>90-day</b> sch <b>PPS Unsched</b>	d Assessments for a Medicare Part A Stay eduled assessment neduled assessment of a Medicare Part A Stay neduled assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment) sment
0. No 1. Start of the 2. End of ther 3. Both Start 4. Change of	dicare Required Assessment - OMRA  erapy assessment appy assessment and End of therapy assessment therapy assessment  Bed clinical change assessment? Complete only if A0200 = 2
0. <b>No</b> 1. <b>Yes</b>	
0. No 1. Yes	ent the first assessment (OBRA, Scheduled PPS, or Discharge) since the most recent admission/entry or reentry?
A0310 continued on n	ext nage

esident			Identifier	Date
Sectio	n A	<b>Identification Infor</b>	rmation	
A0310. T	ype of Assessment	t - Continued		
Enter Code	11. <b>Discharge</b> as	ng record ssessment- <b>return not anticipat</b> ssessment- <b>return anticipated</b> i <b>lity</b> tracking record	ed	
Enter Code	G. Type of discharg 1. Planned 2. Unplanned	e - Complete only if A0310F = 10	0 or 11	
Enter Code	H. Is this a SNF Part 0. No 1. Yes	A PPS Discharge Assessment?		
A0410. U	nit Certification o	Licensure Designation		
Enter Code	2. Unit is neithe		fied and MDS data is not required fied but MDS data is required by	
A0500. L	egal Name of Resid	dent		
	A. First name:			B. Middle initial:
	C. Last name:			D. Suffix:
A0600. S	ocial Security and	Medicare Numbers		
	A. Social Security N  -  B. Medicare number	lumber: – er (or comparable railroad insura	nce number):	
A0700. N	ledicaid Number -	Enter "+" if pending, "N" if no	t a Medicaid recipient	
A0800. G	iender			
Enter Code	<ol> <li>Male</li> <li>Female</li> </ol>			
A0900. B	irth Date			
	– Month	– Day Year		
A1000. R	ace/Ethnicity			
↓ Che	ck all that apply			
	A. American Indian	or Alaska Native		
	B. Asian			
	C. Black or African	American		
	D. Hispanic or Latir			
	E. Native Hawaiian	or Other Pacific Islander		

F. White

Resident	Identifier	Date
Section A	Identification Information	
A1100. Language		
0. <b>No</b> → Skip t 1. <b>Yes</b> → Speci	t need or want an interpreter to communicate with a do o A1200, Marital Status fy in A1100B, Preferred language ermine → Skip to A1200, Marital Status ge:	octor or health care staff?
A1200. Marital Status		
Enter Code  1. Never married 2. Married 3. Widowed 4. Separated 5. Divorced	d	
A1300. Optional Resident It	ems	
D. Lifetime occupat	esident prefers to be addressed: ion(s) - put "/" between two occupations:	
Complete only if A0310A = 01	ning and Resident Review (PASRR) . 03. 04. or 05	
Is the resident curre ("mental retardation 0. No → Skip 1. Yes → Cor	intly considered by the state level II PASRR process to had a related condition?  To A1550, Conditions Related to ID/DD Status tinue to A1510, Level II Preadmission Screening and Reside aid-certified unit   Skip to A1550, Conditions Related to	ent Review (PASRR) Conditions
	n Screening and Resident Review (PASRR) Conditi	ons
Complete only if A0310A = 01  Check all that apply	, U3, U4, Or U5	
A. Serious mental il	Iness	
	pility ("mental retardation" in federal regulation)	
C. Other related con	<u> </u>	

Resident			ldentifiei	D	ate
Sectio	n A	Identifica	tion Information		
A1550. C	Conditions Related	to ID/DD Statu	S		
If the resi	dent is 22 years of ag	ge or older, com	plete only if A0310A = 01		
If the resi	dent is 21 years of a	ge or younger, o	omplete only if $A0310A = 01$ , (	03, 04, or 05	
↓ Cł	neck all conditions th	at are related to	ID/DD status that were manifeste	ed before age 22, and are likely to contin	nue indefinitely
	ID/DD With Organic	Condition			
	A. Down syndrome	)			
	B. Autism				
	C. Epilepsy				
	D. Other organic co	ndition related	o ID/DD		
	ID/DD Without Orga	anic Condition			
	E. ID/DD with no or	rganic condition			
	No ID/DD				
	Z. None of the abov	ve			
Most Rec	ent Admission/Ent	ry or Reentry i	nto this Facility		
A1600. E	ntry Date				
	_	_			
	Month	Day	Year		
A1700. T	Type of Entry				
Enter Code	1. Admission 2. Reentry				
A1800. E	ntered From				
Enter Code	01. Community 02. Another nui 03. Acute hospi 04. Psychiatric I 05. Inpatient re 06. ID/DD facilit 07. Hospice 09. Long Term 0 99. Other	rsing home or sv ital hospital habilitation faci ty	ity	up home)	
A1900. A	Admission Date (Da	nte this episode	of care in this facility began	)	
	_ Month	— Day	Year		
А2000. Г	Discharge Date				
	e only if A0310F = 10	), 11, or 12			
	— Month	– Day	Year		
	MOHUI	Day .	ıcal		

Resident			Identifier	Date
Sectio	n A	Identification I	Information	
A2100. D	Discharge Status			
Complete	only if A0310F = 10	), 11, or 12		
Enter Code	02. Another nu 03. Acute hospi 04. Psychiatric 05. Inpatient re 06. ID/DD facili 07. Hospice 08. Deceased 09. Long Term 0	rsing home or swing bed ital hospital habilitation facility ty Care Hospital (LTCH)	d/care, assisted living, group home)  d  Significant Correction	
	e only if A0310A = 05		Significant Correction	
	-	– Day Year		
A2300. A	Assessment Referei	nce Date		
	Observation end da — Month	<b>nte:</b> —  Day  Year		
A2400. N	Medicare Stay			
Enter Code	0. <b>No →</b> Skip t 1. <b>Yes →</b> Cont	o B0100, Comatose	d stay since the most recent entry? e of most recent Medicare stay :	

Month

Month

Day

Day

Year **C. End date of most recent Medicare stay** - Enter dashes if stay is ongoing:

Year

Resident Identifier Date

# Look back period for all items is 7 days unless another time frame is indicated

Sectio	n B Hearing, Speech, and Vision						
B0100. C	B0100. Comatose						
Enter Code	Persistent vegetative state/no discernible consciousness  0. No → Continue to B0200, Hearing  1. Yes → Skip to G0110, Activities of Daily Living (ADL) Assistance						
B0200. F	learing						
Enter Code	Ability to hear (with hearing aid or hearing appliances if normally used)  0. Adequate - no difficulty in normal conversation, social interaction, listening to TV  1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy)  2. Moderate difficulty - speaker has to increase volume and speak distinctly  3. Highly impaired - absence of useful hearing						
B0300. F	learing Aid						
Enter Code	Hearing aid or other hearing appliance used in completing B0200, Hearing  0. No  1. Yes						
B0600. S	peech Clarity						
Enter Code	Select best description of speech pattern  0. Clear speech - distinct intelligible words  1. Unclear speech - slurred or mumbled words  2. No speech - absence of spoken words						
B0700. N	Nakes Self Understood						
Enter Code	Ability to express ideas and wants, consider both verbal and non-verbal expression  0. Understood  1. Usually understood - difficulty communicating some words or finishing thoughts but is able if prompted or given time  2. Sometimes understood - ability is limited to making concrete requests  3. Rarely/never understood						
B0800. A	ability To Understand Others						
Enter Code	<ul> <li>Understanding verbal content, however able (with hearing aid or device if used)</li> <li>Understands - clear comprehension</li> <li>Usually understands - misses some part/intent of message but comprehends most conversation</li> <li>Sometimes understands - responds adequately to simple, direct communication only</li> <li>Rarely/never understands</li> </ul>						
B1000. V	lision Carte						
Enter Code	Ability to see in adequate light (with glasses or other visual appliances)  0. Adequate - sees fine detail, such as regular print in newspapers/books  1. Impaired - sees large print, but not regular print in newspapers/books  2. Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects  3. Highly impaired - object identification in question, but eyes appear to follow objects  4. Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects						
B1200. C	Corrective Lenses						
Enter Code	Corrective lenses (contacts, glasses, or magnifying glass) used in completing B1000, Vision  0. No  1. Yes						

Resident			Identifier	Date
Section	n C	<b>Cognitive Patterns</b>		
		view for Mental Status (C0200-	C0500) be Conducted?	
	o conduct interview v			
Enter Code		s rarely/never understood) → Skip t inue to C0200, Repetition of Three W	•	00, Staff Assessment for Mental Status
	1. Tes > Conti	ride to Co200, Repetition of Timee W	orus	
Brief In	terview for Mei	ntal Status (BIMS)		
C0200.	Repetition of Th	ree Words		
	Ask resident: "I an	n going to say three words for yo	ou to remember. Please	repeat the words after I have said all three.
F C	The words are: <b>so</b>	<b>ck, blue, and bed.</b> Now tell me	e the three words."	
Enter Code	Number of words	s repeated after first attempt		
	0. None			
	1. <b>One</b>			
	2. <b>Two</b>			
	3. Three	6	(11	
				ning to wear; blue, a color; bed, a piece
		u may repeat the words up to two		
C0300.		tation (orientation to year, mo	•	
		ase tell me what year it is right r	now."	
Enter Code	A. Able to report	•		
		> <b>5 years</b> or no answer		
	1. Missed by			
	2. Missed by 3. Correct	i year		
		at month are we in right now?"	1	
Enter Code	B. Able to report	_		
Litter Code		> 1 month or no answer		
		6 days to 1 month		
	2. Accurate w			
	Ask resident: "Wh	at day of the week is today?"		
Enter Code	C. Able to report	t correct day of the week		
	0. <b>Incorrect</b> o	r no answer		
	1. Correct			
C0400.	Recall			
	Ask resident: "Let	's go back to an earlier question	. What were those three	words that I asked you to repeat?"
		nber a word, give cue (something	g to wear; a color; a piece	of furniture) for that word.
Enter Code	A. Able to recall			
	0. <b>No</b> - could i			
		cueing ("something to wear")		
	2. Yes, no cue B. Able to recall	•		
Enter Code	0. <b>No</b> - could i			
		:ueing ("a color")		
	2. Yes, no cue			
Enter Code	C. Able to recall			
Litter Code	0. <b>No</b> - could i			
		<b>:ueing</b> ("a piece of furniture")		
	2. Yes, no cue			
C0500.	BIMS Summary S	core		
Enter Score	Add scores for qu	estions C0200-C0400 and fill in to	otal score (00-15)	

Enter 99 if the resident was unable to complete the interview

esident	esident Identifier Date		
Section C	Cognitive Patterns		
C0600. Should the Staff As	sessment for Mental Status (C0700 - C1000) be Conducted?		
	as able to complete Brief Interview for Mental Status ) → Skip to C131 vas unable to complete Brief Interview for Mental Status) → Continue		
Staff Assessment for Mental	Status		
Do not conduct if Brief Interview	for Mental Status (C0200-C0500) was completed		
C0700. Short-term Memory	ОК		
Seems or appears to  0. Memory OK  1. Memory prob	recall after 5 minutes		
C0800. Long-term Memory	ок		
Seems or appears to 0. Memory OK 1. Memory prob			
C0900. Memory/Recall Abili	ty		
↓ Check all that the resider	nt was normally able to recall		
A. Current season			
B. Location of own i	oom		
C. Staff names and f	races		
D. That he or she is	in a nursing home/hospital swing bed		
Z. None of the abov	<b>e</b> were recalled		
C1000. Cognitive Skills for D	Daily Decision Making		
0. Independent 1. Modified inde 2. Moderately in	rding tasks of daily life - decisions consistent/reasonable - pendence - some difficulty in new situations only - npaired - decisions poor; cues/supervision required - never/rarely made decisions		
Delirium			
C1310. Signs and Symptoms	of Delirium (from CAM©)		
Code <b>after completing</b> Brief Inter	view for Mental Status or Staff Assessment, and reviewing medical reco	ord	
A. Acute Onset Mental Status C	nange		
Is there evidence of a  0. No  1. Yes	n acute change in mental status from the resident's baseline?		
	↓ Enter Codes in Boxes		
Coding:  0. Behavior not present	<ul> <li>B. Inattention - Did the resident have difficulty focusing att having difficulty keeping track of what was being said?</li> <li>C. Disorganized thinking - Was the resident's thinking disc</li> </ul>		
1. Behavior continuously present, does not	conversation, unclear or illogical flow of ideas, or unpred		
fluctuate	D. Altered level of consciousness - Did the resident have a any of the following criteria?	altered level of consciousness as indicated by	
<ol><li>Behavior present, fluctuates (comes and goes, changes in severity)</li></ol>	<ul> <li>vigilant - startled easily to any sound or touch</li> <li>lethargic - repeatedly dozed off when being asked qu</li> <li>stuporous - very difficult to arouse and keep aroused</li> <li>comatose - could not be aroused</li> </ul>	•	
Confusion Assessment Method. ©1988, .	 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. 1	Ann Intern Med. 1990; 113:941-8. Used with permission.	

Section D Mood						
D0100. Should Resident Mood Interview be Conducted? - Attempt to conduct interview with	all residents					
0. <b>No</b> (resident is rarely/never understood) → Skip to and complete D0500-D0600, Staff Asso (PHQ-9-OV)  1. <b>Yes</b> → Continue to D0200, Resident Mood Interview (PHQ-9©)	essment of Resident N	Mood				
D0200. Resident Mood Interview (PHQ-9©)						
Say to resident: "Over the last 2 weeks, have you been bothered by any of the following	problems?"					
If symptom is present, enter 1 (yes) in column 1, Symptom Presence.  If yes in column 1, then ask the resident: "About <b>how often</b> have you been bothered by this?"  Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.						
<ol> <li>Symptom Presence</li> <li>No (enter 0 in column 2)</li> <li>Yes (enter 0-3 in column 2)</li> <li>No response (leave column 2)</li> <li>Symptom Frequency</li> <li>Never or 1 day</li> <li>2-6 days (several days)</li> <li>7-11 days (half or more of the days)</li> </ol>	1. Symptom Presence	2. Symptom Frequency				
blank) 3. <b>12-14 days</b> (nearly every day)	↓ Enter Score	es in Boxes 🗸				
A. Little interest or pleasure in doing things						
B. Feeling down, depressed, or hopeless						
C. Trouble falling or staying asleep, or sleeping too much						
D. Feeling tired or having little energy						
E. Poor appetite or overeating						
F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down						
G. Trouble concentrating on things, such as reading the newspaper or watching television						
H. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual						
I. Thoughts that you would be better off dead, or of hurting yourself in some way						
D0300. Total Severity Score						
Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more items).						
<b>D0350. Safety Notification</b> - Complete only if $D020011 = 1$ indicating possibility of resident self har	arm					
Was responsible staff or provider informed that there is a potential for resident self harm?  0. No  1. Yes						

Identifier

Date

Resident

Resident	Identifier	Date	
Section D	Mood		
Do not conduct if Resident Mod	of Resident Mood (PHQ-9-OV*) od Interview (D0200-D0300) was completed resident have any of the following problems or behaviors?		
If symptom is present, enter 1 (y	yes) in column 1, Symptom Presence. com Frequency, and indicate symptom frequency.		
•			
l	3. 12-14 days (nearly every day)	↓ Enter Scor	es in Boxes ↓
A. Little interest or pleasure	in doing things		
B. Feeling or appearing dow	vn, depressed, or hopeless		
C. Trouble falling or staying	asleep, or sleeping too much		
D. Feeling tired or having lit	ttle energy		
E. Poor appetite or overeati			
F. Indicating that s/he feels	bad about self, is a failure, or has let self or family down		
G. Trouble concentrating or	n things, such as reading the newspaper or watching television		
	owly that other people have noticed. Or the opposite - being so fidgety been moving around a lot more than usual		
I. States that life isn't worth			
J. Being short-tempered, ea			
D0600. Total Severity Scor	re		
Enter Score Add scores for all f	requency responses in Column 2, Symptom Frequency. Total score must be	e between 00 and 30.	
D0650. Safety Notification	- Complete only if D0500I1 = 1 indicating possibility of resident self $h$	arm	

Enter Code

Was responsible staff or provider informed that there is a potential for resident self harm?

- 0. **No**
- 1. Yes

<sup>\*</sup> Copyright © Pfizer Inc. All rights reserved.

Resident					Identifier	Date	
Section	n E	Behavior					
E0100. P	otential Indicators	of Psychosis					
↓ Che	eck all that apply						
	A. Hallucinations (perceptual experiences in the absence of real external sensory stimuli)						
	<b>B. Delusions</b> (misco	nceptions or beliefs t	hat are firn	าly he	eld, contrary to reality)		
	Z. None of the abov	/e					
Behavior	al Symptoms						
	ehavioral Symptor		quency				
Note pres	ence of symptoms an	d their frequency					
			↓ Ent	er Co	odes in Boxes		
Coding:	avior not exhibited			A.	kicking, pushing, scratching,	oms directed toward others (e.g., hitting, grabbing, abusing others sexually)	
1	avior of this type occu avior of this type occu	•		В.	others, screaming at others, c	<del>-</del>	
1	less than daily avior of this type occ	urred daily		C.	symptoms such as hitting or s sexual acts, disrobing in publi	s not directed toward others (e.g., physical scratching self, pacing, rummaging, public ic, throwing or smearing food or bodily wastes, e screaming, disruptive sounds)	
E0300. O	verall Presence of	Behavioral Sympt	oms				
Enter Code		E0800, Rejection of C	are		ded 1, 2, or 3? oms, answer E0500 and E0600	below	
E0500. Ir	mpact on Resident						
	Did any of the ident	ified symptom(s):					
Enter Code	A. Put the resident	at significant risk fo	r physical	illne	ss or injury?		
	0. <b>No</b> 1. <b>Yes</b>						
Enter Code	B. Significantly inte	erfere with the reside	ent's care?	,			
	0. <b>No</b>						
Enter Code	1. Yes	orfore with the reside	ant's narti	cinaí	tion in activities or social inte	ractions?	
Litter code	0. <b>No</b>	irere with the resid	ent 3 parti	cipat	non in activities of social line	ructions.	
	1. Yes						
E0600. Ir	mpact on Others						
	Did any of the ident						
Enter Code	A. Put others at signormal O. No	nificant risk for phys	ical injury	<i>i</i> ?			
	1. <b>Yes</b>						
Enter Code	B. Significantly intr	ude on the privacy o	or activity	of ot	hers?		
	0. <b>No</b> 1. <b>Yes</b>						
Enter Code							
	0. No						
1. Yes E0800. Rejection of Care - Presence & Frequency							
E0000. K		<u> </u>		odw(	ork taking medications ADI as	sistance) that is necessary to achieve the	
Did the resident reject evaluation or care (e.g., bloodwork, taking medications, ADL assistance) that is necessary to achieve the resident's goals for health and well-being? Do not include behaviors that have already been addressed (e.g., by discussion or care planning with the resident or family), and determined to be consistent with resident values, preferences, or goals.  0. Behavior not exhibited 1. Behavior of this type occurred 1 to 3 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily							
	I.		-				

Resident _			Identifier	Date		
Sectio	n E	Behavior				
E0900. V	Vandering - Presen	ce & Frequency				
Enter Code	1. Behavior of th 2. Behavior of th	exhibited → Skip to It is type occurred 1 to	<b>6 days</b> , but less than daily	ns		
E1000. V	Vandering - Impact					
Enter Code	A. Does the wander facility)? 0. No 1. Yes	ring place the residen	t at significant risk of getting to a potentiall	y dangerous place (e.g., stairs, outside of the		
Enter Code	B. Does the wander 0. No 1. Yes	ring significantly intru	ide on the privacy or activities of others?			
E1100. C	E1100. Change in Behavior or Other Symptoms					
Consider a	all of the symptoms ass	essed in items E0100 th	nrough E1000			
Enter Code	How does resident's of 0. <b>Same</b> 1. <b>Improved</b>	current behavior status	, care rejection, or wandering <b>compare to prio</b>	r assessment (OBRA or Scheduled PPS)?		
	2. Worse					
	3. <b>N/A</b> because r	no prior MDS assessmei	nt			

Resident	Identifier	Date
Section F Prefer	ences for Customary Routine and Ac	tivities
•	ad Activity Preferences be Conducted? - Attempt to to to complete interview with family member or significar	
Assessment of Daily and	er understood <u>and</u> family/significant other not available) — Activity Preferences 00, Interview for Daily Preferences	➤ Skip to and complete F0800, Staff
F0400. Interview for Daily Prefere	nces d say: "While you are in this facility"	
show resident the response options and	Letter Codes in Boxes	
	A. how important is it to you to choose wha	t clothes to wear?
	<b>B.</b> how important is it to you to <b>take care of</b>	your personal belongings or things?
Coding:  1. Very important	C. how important is it to you to choose between sponge bath?	veen a tub bath, shower, bed bath, or
<ol> <li>Somewhat important</li> <li>Not very important</li> <li>Not important at all</li> </ol>	D. how important is it to you to have snack:	s available between meals?
5. Important, but can't do or no choice	E. how important is it to you to choose your	own bedtime?
9. No response or non-responsive	F. how important is it to you to have your for discussions about your care?	nmily or a close friend involved in
	<b>G.</b> how important is it to you to <b>be able to u</b>	se the phone in private?
	H. how important is it to you to have a place	e to lock your things to keep them safe?

# F0500. Interview for Activity Preferences

Show resident the response options and say: "While you are in this facility..."

### **Coding:**

- 1. Very important
- 2. Somewhat important
- 3. Not very important
- 4. Not important at all
- 5. Important, but can't do or no choice
- 9. No response or non-responsive

## ↓ Enter Codes in Boxes

- **A.** how important is it to you to have books, newspapers, and magazines to read?
- **B.** how important is it to you to **listen to music you like?**
- **C.** how important is it to you to **be around animals such as pets?**
- **D.** how important is it to you to keep up with the news?
- **E.** how important is it to you to **do things with groups of people?**
- **F.** how important is it to you to **do your favorite activities?**
- **G.** how important is it to you to **go outside to get fresh air when the weather is good?**
- **H.** how important is it to you to **participate in religious services or practices?**

### F0600. Daily and Activity Preferences Primary Respondent

Enter Code

**Indicate primary respondent** for Daily and Activity Preferences (F0400 and F0500)

- 1. Resident
- 2. **Family or significant other** (close friend or other representative)
- 9. Interview could not be completed by resident or family/significant other ("No response" to 3 or more items")

Resident Identifier Date	ldentifier Date
--------------------------	-----------------

# **Section F**

# **Preferences for Customary Routine and Activities**

### F0700. Should the Staff Assessment of Daily and Activity Preferences be Conducted?

Enter Code

- 0. **No** (because Interview for Daily and Activity Preferences (F0400 and F0500) was completed by resident or family/significant other) → Skip to and complete G0110, Activities of Daily Living (ADL) Assistance
- 1. **Yes** (because 3 or more items in Interview for Daily and Activity Preferences (F0400 and F0500) were not completed by resident or family/significant other) → Continue to F0800, Staff Assessment of Daily and Activity Preferences

F0800. Sta	F0800. Staff Assessment of Daily and Activity Preferences				
Do not cond	Do not conduct if Interview for Daily and Activity Preferences (F0400-F0500) was completed				
Resident P	refers:				
↓ Che	ck all that apply				
	A. Choosing clothes to wear				
	3. Caring for personal belongings				
	C. Receiving tub bath				
	D. Receiving shower				
	E. Receiving bed bath				
F	. Receiving sponge bath				
	G. Snacks between meals				
	H. Staying up past 8:00 p.m.				
	. Family or significant other involvement in care discussions				
	. Use of phone in private				
	C. Place to lock personal belongings				
	Reading books, newspapers, or magazines				
	M. Listening to music				
	N. Being around animals such as pets				
	D. Keeping up with the news				
	P. Doing things with groups of people				
	Q. Participating in favorite activities				
F	R. Spending time away from the nursing home				
	5. Spending time outdoors				
	7. Participating in religious activities or practices				
	Z. None of the above				

Resident	Identifier	Date	
Section G	Functional Status		
G0110. Activities of Daily			
Refer to the ADL flow chart i	in the RAI manual to facilitate accurate coding		
Instructions for Rule of 3			
	e times at any one given level, code that level.		
every time, and activity did n assistance (2), code extensive When an activity occurs at val	e times at multiple levels, code the most dependent, exceptions are to not occur (8), activity must not have occurred at all. Example, three tire assistance (3). rious levels, but not three times at any given level, apply the followin n of full staff performance, and extensive assistance, code extensive	mes extensive assistance (3) ng:	
<ul><li>When there is a combinatio</li><li>If none of the above are met,</li></ul>	n of full staff performance, weight bearing assistance and/or non-we code supervision.	eight bearing assistance cod	le limited assistance (2).
occurred 3 or more times a total dependence, which re	rmance over all shifts - not including setup. If the ADL activity it various levels of assistance, code the most dependent - except for equires full staff performance every time		oort provided over all ess of resident's self-
Coding:		Coding:	
Activity Occurred 3 or M		0. <b>No</b> setup or phy	
-	or staff oversight at any time	<ol> <li>Setup help only</li> </ol>	
1. <b>Supervision</b> - oversight,	, encouragement or cueing sident highly involved in activity; staff provide guided maneuvering	2. <b>One</b> person phy	
of limbs or other non-we		3. <b>Two+</b> persons p	
	resident involved in activity, staff provide weight-bearing support		If <b>did not occur</b> or family
	staff performance every time during entire 7-day period		ity staff provided care e for that activity over the
Activity Occurred 2 or F		entire 7-day peri	•
	once or twice - activity did occur but only once or twice	1.	2.
8. Activity did not occur -	activity did not occur or family and/or non-facility staff provided	Self-Performance	Support
care 100% of the time fo	r that activity over the entire 7-day period	↓ Enter Cod	es in Boxes 🕽
positions body while in bed	nt moves to and from lying position, turns side to side, and d or alternate sleep furniture		
<b>B. Transfer</b> - how resident mo standing position ( <b>exclude</b>	oves between surfaces including to or from: bed, chair, wheelchair, sto/from bath/toilet)		
C. Walk in room - how resider	nt walks between locations in his/her room		
D. Walk in corridor - how resi	ident walks in corridor on unit		
	resident moves between locations in his/her room and adjacent wheelchair, self-sufficiency once in chair		
set aside for dining, activitie	resident moves to and returns from off-unit locations (e.g., areas es or treatments). <b>If facility has only one floor</b> , how resident areas on the floor. If in wheelchair, self-sufficiency once in chair		
	its on, fastens and takes off all items of clothing, including hesis or TED hose. Dressing includes putting on and changing		
during medication pass. In	and drinks, regardless of skill. Do not include eating/drinking cludes intake of nourishment by other means (e.g., tube feeding, / fluids administered for nutrition or hydration)		
toilet; cleanses self after elir	ses the toilet room, commode, bedpan, or urinal; transfers on/off mination; changes pad; manages ostomy or catheter; and adjusts optying of bedpan, urinal, bedside commode, catheter bag or		
ostomy bag	sident maintains personal hygiene, including combing hair,		

Resident		Identifier Date			
Section G Functional Status					
G0120. Bathing					
		sfers in/out of tub/shower ( <b>excludes</b> washing of back and hair). Code for <b>most</b>			
dependent in self-performance and support  A. Self-performance  0. Independent - no help provided  1. Supervision - oversight help only  2. Physical help limited to transfer only  3. Physical help in part of bathing activity  4. Total dependence  8. Activity itself did not occur or family and/or non-facility staff provided care 100% of the time for that activity over the entire 7-day period					
B. Support provide (Bathing support of		10 column 2, ADL Support Provided, above)			
G0300. Balance During Tran	nsitions and Walking				
After observing the resident, <b>cod</b>	e the following walking and tra	ansition items for most dependent			
	,	↓ Enter Codes in Boxes			
Coding:		A. Moving from seated to standing position			
<ol> <li>Steady at all times</li> <li>Not steady, but <u>able</u> to st</li> </ol>	abilize without staff	B. Walking (with assistive device if used)			
assistance 2. Not steady, <u>only able</u> to s assistance	tabilize with staff	C. Turning around and facing the opposite direction while walking			
8. Activity did not occur		D. Moving on and off toilet  E. Surface-to-surface transfer (transfer between hed and chair or			
		<b>E. Surface-to-surface transfer</b> (transfer between bed and chair or wheelchair)			
G0400. Functional Limitation	on in Range of Motion				
Code for limitation that interfere	ed with daily functions or placed	resident at risk of injury			
		↓ Enter Codes in Boxes			
Coding: 0. No impairment 1. Impairment on one side		A. Upper extremity (shoulder, elbow, wrist, hand)			
2. Impairment on both side:	5	B. Lower extremity (hip, knee, ankle, foot)			
G0600. Mobility Devices					
↓ Check all that were norm	ally used				
A. Cane/crutch					
B. Walker					
C. Wheelchair (man	ual or electric)				
D. Limb prosthesis					
Z. None of the above were used					
G0900. Functional Rehabilitation Potential  Complete only if A0310A = 01					
A. Resident believes he or she is capable of increased independence in at least some ADLs  0. No  1. Yes  9. Unable to determine					
B. Direct care staff believe resident is capable of increased independence in at least some ADLs  0. No  1. Yes					

Resident Identifier Date

### **Section GG**

# Functional Abilities and Goals - Admission (Start of SNF PPS Stay)

**GG0130. Self-Care** (Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B) Complete only if A0310B = 01

Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code end of SNF PPS stay (discharge) goals.

### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical condition or safety concerns.**

1.	2.	
Admission	Discharge	
Performance	Goal	
<b>↓</b> Enter Code	s in Boxes ↓	
		<b>A. Eating:</b> The ability to use suitable utensils to bring food to the mouth and swallow food once the meal is presented on a table/tray. Includes modified food consistency.
		<b>B. Oral hygiene:</b> The ability to use suitable items to clean teeth. [Dentures (if applicable): The ability to remove and replace dentures from and to the mouth, and manage equipment for soaking and rinsing them.]
		C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after using the toilet, commode, bedpan, or urinal. If managing an ostomy, include wiping the opening but not managing equipment.

esident	ldentifier	Date

### **Section GG**

# Functional Abilities and Goals - Admission (Start of SNF PPS Stay)

**GG0170. Mobility** (Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B) Complete only if A0310B = 01

Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code end of SNF PPS stay (discharge) goals.

### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical condition or safety concerns.**

Or, the	e assistance of	2 or more helpers is required for the resident to complete the activity.		
1.	2.			
Admission	Discharge			
Performance	Goal			
<b>↓</b> Enter Code	s in Boxes ↓			
		B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.		
		C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.		
		D. Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed.		
		E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).		
		F. Toilet transfer: The ability to safely get on and off a toilet or commode.		
		H1. Does the resident walk?		
		0. <b>No</b> , and walking goal is <u>not</u> clinically indicated → Skip to GG0170Q1, Does the resident use a wheelchair/scooter?		
		1. <b>No</b> , and walking goal <u>is</u> clinically indicated → Code the resident's discharge goal(s) for items GG0170J and GG0170K		
		2. Yes → Continue to GG0170J, Walk 50 feet with two turns		
		J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		
		K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.		
		Q1. Does the resident use a wheelchair/scooter?		
		0. <b>No</b> → Skip to GG0130, Self Care (Discharge)		
		1. Yes → Continue to GG0170R, Wheel 50 feet with two turns		
		R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.		
		RR1. Indicate the type of wheelchair/scooter used.		
		2. Motorized		
		S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.		
		SS1. Indicate the type of wheelchair/scooter used.  1. Manual		
		2. Motorized		

Resident Identifier Date

### **Section GG**

# Functional Abilities and Goals - Discharge (End of SNF PPS Stay)

**GG0130. Self-Care** (Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C)
Complete only if A0310G is not = 2 **and** A0310H = 1 **and** A2400C minus A2400B is greater than 2 **and** A2100 is not = 03

Code the resident's usual performance at the end of the SNF PPS stay for each activity using the 6-point scale. If an activity was not attempted at the end of the SNF PPS stay, code the reason.

#### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical** condition or safety concerns.

# Discharge Performance Enter Code Code Enter Code En

esident	Identifier	Date	

### **Section GG**

# Functional Abilities and Goals - Discharge (End of SNF PPS Stay)

**GG0170. Mobility** (Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C) Complete only if A0310G is not = 2 **and** A0310H = 1 **and** A2400C minus A2400B is greater than 2 **and** A2100 is not = 03

Code the resident's usual performance at the end of the SNF PPS stay for each activity using the 6-point scale. If an activity was not attempted at the end of the SNF PPS stay, code the reason.

### Coding:

**Safety** and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical condition or safety concerns.**

Or, the assis	stance of 2 or more helpers is required for the resident to complete the activity.			
3. Discharge Performance				
Enter Codes in Boxes				
	<b>B.</b> Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.			
	C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.			
	D. Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed.			
	E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).			
	F. Toilet transfer: The ability to safely get on and off a toilet or commode.			
	H3. Does the resident walk?  0. No → Skip to GG0170Q3, Does the resident use a wheelchair/scooter?  2. Yes → Continue to GG0170J, Walk 50 feet with two turns			
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.			
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.			
	Q3. Does the resident use a wheelchair/scooter?			
	0. No → Skip to H0100, Appliances			
	1. <b>Yes</b> → Continue to GG0170R, Wheel 50 feet with two turns			
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.			
	RR3. Indicate the type of wheelchair/scooter used.  1. Manual 2. Motorized			
	S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.			
	SS3. Indicate the type of wheelchair/scooter used.  1. Manual 2. Motorized			

Resident			Identifier	Date	
Sectio	n F	ł	Bladder and Bowel		
H0100. A	۱pp	liances			
↓ Che	ck a	II that apply			
	A.	Indwelling cath	eter (including suprapubic catheter and nephrostomy tube)		
	В.	External cathete	r		
	c.	Ostomy (includin	g urostomy, ileostomy, and colostomy)		
	D.	Intermittent cat	heterization		
	Z.	None of the abo	/e		
H0200. U	Jrin	ary Toileting P	ogram		
Enter Code	A.	admission/entry  0. <b>No</b> → Skip  1. <b>Yes</b> → Con	vileting program (e.g., scheduled toileting, prompted voi or reentry or since urinary incontinence was noted in this fac to H0300, Urinary Continence tinue to H0200B, Response etermine → Skip to H0200C, Current toileting program or t	ility?	
Enter Code		<ol> <li>No improven</li> <li>Decreased w</li> <li>Completely o</li> <li>Unable to de</li> </ol>	etness	ileting, prompted voiding, or bladder training) currently	
		_	nage the resident's urinary continence?	neurig, prompted volunig, or stadder training, earrently	
Enter Code	Ori	<ol> <li>Always conti</li> <li>Occasionally</li> <li>Frequently in</li> <li>Always incorr</li> </ol>	<ul> <li>Select the one category that best describes the resident nent incontinent (less than 7 episodes of incontinence) icontinent (7 or more episodes of urinary incontinence, but tinent (no episodes of continent voiding) ident had a catheter (indwelling, condom), urinary ostomy, or</li> </ul>		
H0400. E	Bow	el Continence			
Enter Code	Во	<ol> <li>Always conti</li> <li>Occasionally</li> <li>Frequently in</li> <li>Always incorr</li> </ol>	Select the one category that best describes the resident nent incontinent (one episode of bowel incontinence) icontinent (2 or more episodes of bowel incontinence, but a tinent (no episodes of continent bowel movements) ident had an ostomy or did not have a bowel movement for		
H0500. Bowel Toileting Program					
Enter Code		0. <b>No</b> 1. <b>Yes</b>	m currently being used to manage the resident's bowel c	ontinence?	
H0600. E	H0600. Bowel Patterns				
Enter Code	Coi	nstipation present 0. No 1. Yes	nt?		

Resident	Identifier	Date

esident		Identifier Date
Sect	ion I	Active Diagnoses
		oses in the last 7 days - Check all that apply
Diagno		d in parentheses are provided as examples and should not be considered as all-inclusive lists
	Cancer	
ш		Cancer (with or without metastasis)
		Circulation
片		Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)
닏ㅣ		Atrial Fibrillation or Other Dysrhythmias (e.g., bradycardias and tachycardias)
$\sqcup$		Coronary Artery Disease (CAD) (e.g., angina, myocardial infarction, and atherosclerotic heart disease (ASHD))
Ш	10500.	Deep Venous Thrombosis (DVT), Pulmonary Embolus (PE), or Pulmonary Thrombo-Embolism (PTE)
	10600.	Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)
	10700.	Hypertension
	10800.	Orthostatic Hypotension
	10900.	Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
_		intestinal
	I1100.	Cirrhosis
	I1200.	Gastroesophageal Reflux Disease (GERD) or Ulcer (e.g., esophageal, gastric, and peptic ulcers)
一	I1300.	Ulcerative Colitis, Crohn's Disease, or Inflammatory Bowel Disease
	Genito	ř
	I1400.	Benign Prostatic Hyperplasia (BPH)
$\Box$	I1500.	Renal Insufficiency, Renal Failure, or End-Stage Renal Disease (ESRD)
$\Box$		Neurogenic Bladder
$\exists$		Obstructive Uropathy
	Infection	• /
	I1700.	Multidrug-Resistant Organism (MDRO)
$\Box$		Pneumonia
$\exists$	I2100.	Septicemia
H		Tuberculosis
H		Urinary Tract Infection (UTI) (LAST 30 DAYS)
H		
님		Viral Hepatitis (e.g., Hepatitis A, B, C, D, and E)
$\sqcup$		Wound Infection (other than foot)
	Metabo	Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)
H		
H		Hyponatremia
片		Hyperkalemia
닏ㅣ		Hyperlipidemia (e.g., hypercholesterolemia)
$\sqcup$		Thyroid Disorder (e.g., hypothyroidism, hyperthyroidism, and Hashimoto's thyroiditis)
		oskeletal
님		Arthritis (e.g., degenerative joint disease (DJD), osteoarthritis, and rheumatoid arthritis (RA))
닏ㅣ		Osteoporosis
	13900.	<b>Hip Fracture</b> - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)
		Other Fracture
	Neurol	-
Ш		Alzheimer's Disease
	I4300.	Aphasia
	I4400.	Cerebral Palsy
	I4500.	Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke

14800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia

such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases)

Neurological Diagnoses continued on next page

esident	Identifier	Date

Sect	<u>ion i</u>	Active Diagnoses			
Active	Diagn	oses in the last 7 days - Check all that apply			
		d in parentheses are provided as examples and should not be considered as all-inclusive lists			
	Neurol	ogical - Continued			
	14900.	Hemiplegia or Hemiparesis			
	15000.	Paraplegia			
	I5100.	Quadriplegia			
		Multiple Sclerosis (MS)			
		Huntington's Disease			
		Parkinson's Disease			
H		Tourette's Syndrome			
		Seizure Disorder or Epilepsy			
片					
	Nutriti	Traumatic Brain Injury (TBI)			
		Malnutrition (protein or calorie) or at risk for malnutrition			
		atric/Mood Disorder			
		Anxiety Disorder			
		Depression (other than bipolar)			
H		Manic Depression (bipolar disease)			
		Psychotic Disorder (other than schizophrenia)			
片					
		Schizophrenia (e.g., schizoaffective and schizophreniform disorders)			
ш		Post Traumatic Stress Disorder (PTSD)			
	Pulmo	Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease (e.g., chronic bronchitis and restrictive lung			
		diseases such as asbestosis)			
		Respiratory Failure			
	Vision				
ш		Cataracts, Glaucoma, or Macular Degeneration			
		of Above			
	Other	None of the above active diagnoses within the last 7 days			
	18000. Additional active diagnoses				
		iagnosis on line and ICD code in boxes. Include the decimal for the code in the appropriate box.			
	_				
	A				
	D				
	В				
	C.				
	·				
	D.				
	E				
	F				
	u				
	H.				
	· ··-				
	l.				
	J				

Resident			Identifier	Date
Sectio	n J	<b>Health Conditions</b>	S	
J0100. P	ain Management -	Complete for all residents, r	regardless of current pain level	
At any time	e in the last <b>5</b> days, ha	s the resident:		
Enter Code	A. Received schedu 0. No 1. Yes	ıled pain medication regimer	n?	
Enter Code	B. Received PRN pa 0. No 1. Yes	nin medications OR was offer	ed and declined?	
Enter Code	C. Received non-months 0. No	edication intervention for pa	in?	
	1. Yes			
J0200.	Should Pain Assess	sment Interview be Condu	cted?	
Attempt	to conduct interview v	vith all residents. If resident is	comatose, skip to J1100, Shortness o	ıf Breath (dyspnea)
Enter Code	0. <b>No</b> (resident is	rarely/never understood) ->	Skip to and complete J0800, Indicate	ors of Pain or Possible Pain
	1. <b>Yes</b> → Conti	nue to J0300, Pain Presence		
Pain As	sessment Interv	view		
J0300.	Pain Presence	-		
Enter Code	0. <b>No →</b> Ski <sub>l</sub> 1. <b>Yes →</b> Co	p to J1100, Shortness of Brea ontinue to J0400, Pain Frequ	iency	
		answer → Skip to J0800, I	ndicators of Pain or Possible Pain	1
J0400.	Pain Frequency			
Enter Code			you experienced pain or hurt	<b>ing</b> over the last 5 days?"
Liner code	1. Almost con 2. Frequently	•		
	3. Occasiona			
	4. Rarely	•		
	9. Unable to			
J0500.	Pain Effect on Fu			
Enter Code		Over the past 5 days, <b>has p</b>	pain made it hard for you to s	leep at night?"
	0. <b>No</b> 1. <b>Yes</b>			
	9. Unable to a	ınswer		
	<b>B.</b> Ask resident: "	Over the past 5 days, <b>have</b>	you limited your day-to-day	activities because of pain?"
Enter Code	0. <b>No</b>			
	1. Yes 9. Unable to a			
10600			h - £-11	· · · · · · · · · · · · · · · · · · ·
J0600.			he following pain intensity qu	estions (A or B)
Enter Rating	A. Numeric Ratin	_	o over the last 5 days on a zero t	to ten scale, with zero being no pain and ten
	1	*	ow resident 00 -10 pain scale)	o ten scale, with zero being no pain and ten
	1	it response. Enter 99 if un	•	
	B. Verbal Descrip			
Enter Code	1	Please rate the intensity of	your worst pain over the last 5	days." (Show resident verbal scale)
	1. Mild 2. Moderate			

3. **Severe** 

4. Very severe, horrible9. Unable to answer

Section	nealth Conditions
J0700. S	hould the Staff Assessment for Pain be Conducted?
Enter Code	0. No (J0400 = 1 thru 4) → Skip to J1100, Shortness of Breath (dyspnea)
	1. <b>Yes</b> (J0400 = 9) → Continue to J0800, Indicators of Pain or Possible Pain
Staff Ass	essment for Pain
J0800. In	dicators of Pain or Possible Pain in the last 5 days
↓ Che	ck all that apply
	A. Non-verbal sounds (e.g., crying, whining, gasping, moaning, or groaning)
	B. Vocal complaints of pain (e.g., that hurts, ouch, stop)
	C. Facial expressions (e.g., grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth or jaw)
	<b>D. Protective body movements or postures</b> (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement)
	<b>Z. None of these signs observed or documented</b> → If checked, skip to J1100, Shortness of Breath (dyspnea)
J0850. Fr	equency of Indicator of Pain or Possible Pain in the last 5 days
Enter Code	Frequency with which resident complains or shows evidence of pain or possible pain  1. Indicators of pain or possible pain observed 1 to 2 days  2. Indicators of pain or possible pain observed 3 to 4 days  3. Indicators of pain or possible pain observed daily
Oth or U.s	alth Conditions
	ortness of Breath (dyspnea)
- NV	k all that apply
	A. Shortness of breath or trouble breathing with exertion (e.g., walking, bathing, transferring)
	B. Shortness of breath or trouble breathing when sitting at rest
	C. Shortness of breath or trouble breathing when lying flat
	Z. None of the above
J1300. Cu	rrent Tobacco Use
Enter Code	Tobacco use 0. No 1. Yes
J1400. Pr	ognosis
	Does the resident have a condition or chronic disease that may result in a <b>life expectancy of less than 6 months?</b> (Requires physician documentation)  0. No  1. Yes
J1550. Pr	oblem Conditions
↓ Chec	k all that apply
	A. Fever
	B. Vomiting
	C. Dehydrated
	D. Internal bleeding
	Z. None of the above

Identifier

Date

Resident

Resident		Identifier	Date		
Section J	<b>Health Condition</b>	ıs			
<b>J1700. Fall History on Ac</b> Complete only if A0310A =	dmission/Entry or Reentry = 01 or A0310E = 1				
Enter Code  A. Did the reside  0. No  1. Yes  9. Unable to	ŕ	<b>month</b> prior to admission/entry or reel	ntry?		
B. Did the reside 0. No 1. Yes 9. Unable to	ŕ	<b>2-6 months</b> prior to admission/entry o	r reentry?		
0. <b>No</b> 1. <b>Yes</b>	0. <b>No</b>				
J1800. Any Falls Since A	dmission/Entry or Reentry o	r Prior Assessment (OBRA or Sch	eduled PPS), whichever is more recent		
recent?  0. <b>No →</b> S	kip to K0100, Swallowing Disorde	er	nt (OBRA or Scheduled PPS), whichever is more Prior Assessment (OBRA or Scheduled PPS)		
J1900. Number of Falls S	since Admission/Entry or Re	entry or Prior Assessment (OBRA	or Scheduled PPS), whichever is more recent		
	↓ Enter Codes in Boxe	s			
A. No injury - no evidence of any injury is noted on physical assessment by the no care clinician; no complaints of pain or injury by the resident; no change in the behavior is noted after the fall					
0. None 1. One		ept major) - skin tears, abrasions, lac ny fall-related injury that causes the	cerations, superficial bruises, hematomas and		

consciousness, subdural hematoma

C. Major injury - bone fractures, joint dislocations, closed head injuries with altered

Resident _		Identifier	Date		
Sectio	Section K Swallowing/Nutritional Status				
K0100. S	Swallowing Disordo	er			
Signs and	d symptoms of possi	ble swallowing disorder			
↓ Che	eck all that apply				
	A. Loss of liquids/s	olids from mouth when eating or drinking			
	B. Holding food in	mouth/cheeks or residual food in mouth after meals			
	C. Coughing or cho	king during meals or when swallowing medications			
	D. Complaints of d	ifficulty or pain with swallowing			
	Z. None of the abo	ve			
K0200. H	leight and Weight	- While measuring, if the number is X.1 - X.4 round down; X.5 or gr	reater round up		
inches	A. Height (in	inches). Record most recent height measure since the most recent admis	sion/entry or reentry		
pounds		pounds). Base weight on most recent measure in last 30 days; measure watice (e.g., in a.m. after voiding, before meal, with shoes off, etc.)	eight consistently, accor	ding to standard	
K0300. V	Weight Loss				
Enter Code	Enter Code  Loss of 5% or more in the last month or loss of 10% or more in last 6 months  0. No or unknown  1. Yes, on physician-prescribed weight-loss regimen  2. Yes, not on physician-prescribed weight-loss regimen				
K0310. V	Weight Gain				
Enter Code	Gain of 5% or more in the last month or gain of 10% or more in last 6 months  0. No or unknown  1. Yes, on physician-prescribed weight-gain regimen  2. Yes, not on physician-prescribed weight-gain regimen				
K0510. N	Nutritional Approa	ches			
		onal approaches that were performed during the last <b>7 days</b>			
Perfor reside	<ul> <li>1. While NOT a Resident         Performed while NOT a resident of this facility and within the last 7 days. Only check column 1 if resident entered (admission or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or more days ago, leave column 1 blank     </li> <li>2. While NOT a Resident Resident</li> </ul>				
	Performed while a resident of this facility and within the last 7 days  Check all that apply				
A. Parent	A. Parenteral/IV feeding				
B. Feeding tube - nasogastric or abdominal (PEG)					
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)					
D. Therap	D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)				
Z. None	of the above				

Resident		Identifier		Date	
Section	n K	Swallowing/Nutritional Status			
K0710. Pe	ercent Intake by A	rtificial Route - Complete K0710 only if Column 1 and/or 0	Column 2 are chec	ked for K0510A ar	nd/or K0510B
Perform code in residen 2. While a Perform 3. During	column 1 if resident t last entered 7 or mo a Resident ned while a resident Entire 7 Days	dent of this facility and within the last 7 days. Only enter a entered (admission or reentry) IN THE LAST 7 DAYS. If ore days ago, leave column 1 blank of this facility and within the last 7 days	1. While NOT a Resident	2. While a Resident	3. During Entire 7 Days
Perform	ned during the entire	last 7 days	<b>↓</b>	Enter Codes	<b>↓</b>
<ul> <li>A. Proportion of total calories the resident received through parenteral or tube feeding <ol> <li>25% or less</li> <li>26-50%</li> <li>51% or more</li> </ol> </li> <li>B. Average fluid intake per day by IV or tube feeding <ol> <li>500 cc/day or less</li> <li>501 cc/day or more</li> </ol> </li> </ul>					
Section	n L	Oral/Dental Status			
L0200. De	ental				
↓ Chec	ck all that apply				
	A. Broken or loosely fitting full or partial denture (chipped, cracked, uncleanable, or loose)				
	B. No natural teeth or tooth fragment(s) (edentulous)				
	C. Abnormal mouth tissue (ulcers, masses, oral lesions, including under denture or partial if one is worn)				
	D. Obvious or likely cavity or broken natural teeth				
	E. Inflamed or bleeding gums or loose natural teeth				
	F. Mouth or facial p	pain, discomfort or difficulty with chewing			

G. Unable to examine

Z. None of the above were present

Resident Identifier Date

**Section M** 

**Skin Conditions** 

# Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage

M0100. D	etermination of Pressure Ulcer Risk					
↓ Chec	k all that apply					
	A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device					
	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)					
	C. Clinical assessment					
	Z. None of the above					
M0150. Ri	sk of Pressure Ulcers					
Enter Code	s this resident at risk of developing pressure ulcers?  0. No					
M0210 III	1. Yes					
	nhealed Pressure Ulcer(s)					
Enter Code	Ooes this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?  0. No → Skip to M0900, Healed Pressure Ulcers					
	<ol> <li>Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers at Each Stage</li> </ol>					
M0300. C	urrent Number of Unhealed Pressure Ulcers at Each Stage					
Enter Number	A. Number of Stage 1 pressure ulcers  Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues					
Enter Number	3. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister					
	1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3					
Enter Number	2. Number of <a href="mailto:these">these</a> Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry					
	3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:					
	Month Day Year					
	2. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling					
Enter Number	1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4					
Enter Number	2. Number of <a href="mailto:these">these</a> Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry					
Enter Number	Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling					
	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable - Non-removable dressing					
Enter Number	2. Number of <a href="mailto:these">these</a> Stage 4 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry					
M0300	continued on next page					

Mostor   Current Number of Unhealed Pressure Ulcers at Each Stage - Continued	Sectio	n M	Skin Conditions
1. Number of flues winstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable - Slough and/or eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar in the stageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar: In Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar: In Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  G. Unstageable - Deep tissue injury: Suspected deep tissue injury in evolution  1. Number of unstageable pressure ulcers of Eschar  2. Number of unstageable pressure ulcers of Eschar  2. Number of unstageable pressure ulcers of Eschar  3. Number of unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  4. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  4. Number of these unstageable pressure ulcers of Eschar  5. Unstageable - Deep tissue unstageable pressure ulcers or Eschar  6. Unstageable - Deep tissue unstageable pressure ulcers or Eschar  6. Unstageable - Deep tissue unstageable pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length: Longest length from head to toe  6. Pressure ulcer length: Longest length from head to toe  8. Pressure ulcer with: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  6. C. Pressure ulcer wisk in superficial ulcer. It can be light pink and shiny	M0300.	Current N	umber of Unhealed Pressure Ulcers at Each Stage - Continued
Slough and/or exchar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  F. Unstageable - Slough and/or exchar: Known but not stageable due to coverage of wound bed by slough and/or exchar - if 0 → Skip to M0300G, Unstageable - Deep tissue injury  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  3. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  3. Number of these unstageable pressure ulcers with suspected deep tissue injury in evolution  4. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - if 0 → Skip to M0610, Dimension of Unshealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  4. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  4. Number of these unstageable pressure ulcers or Eschar  5. On the time of these unstageable pressure ulcers or Eschar  6. On the time of these unstageable pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  5. On the time of admission/entry or reentry to the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  6. C. Pressure ulcer with the widest width of the same pressure ulcer, side-to-side perpendicular		E. Unstag	geable - Non-removable dressing: Known but not stageable due to non-removable dressing/device
2. Number of these unstageable pressure ulcers that were present upon admission/entry or rentry?  F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar in the stageable due to coverage of wound bed by slough and/or eschar in the stageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar in the stageable - Slough and/or eschar in the stageable due to coverage of wound bed by slough and/or eschar in the stageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  3. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution in the stage and of Unisageable pressure ulcers with suspected deep tissue injury in evolution in the stage and of Unisageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  3. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  4. Number of these unstageable pressure ulcers or Eschar  5. Complete only if M0300C1, M0300D1 or M0300D1 is greater than 0 if the resident known one or more unbeaded Stage 3 or 4 Pressure Ulcers or Eschar  6. On M0300D1 or M0300D1 or M0300D1 is greater than 0 if the resident known one or more unbeaded Stage 3 or 4 Pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length: width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length or more interesting to the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in	Enter Number		
1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M0300G, Unstageable - Deep tissue injury  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  G. Unstageable - Deep tissue injury: Suspected deep tissue injury in evolution  1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhaeled Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  M0610. Dimensions of Unhaeled Stage 3 or 4 Pressure Ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300D1 is greater than 0  If the resident has one or more unhaeled Stage 3 or 4 Pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure	Enter Number		
Unstageable - Deep tissue injury  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry  G. Unstageable - Deep tissue injury: Suspected deep tissue injury in evolution  1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 Pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  a. Pressure ulcer depth: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  a. C. P		F. Unstag	geable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  G. Unstageable - Deep tissue injury: Suspected deep tissue injury in evolution  1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin  2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Stough - yellow or white tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry. Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or w			
1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  2. Number of these unstageable pressure ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 Pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer depth: Depth of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  MO700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment	Enter Number		
The Number of Unbealed Stage 3 or 4 Pressure Ulcers or Eschar  2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry onted at the time of admission/entry or reentry  M0610. Dimensions of Unbealed Stage 3 or 4 Pressure Ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, most, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.		G. Unstag	geable - Deep tissue injury: Suspected deep tissue injury in evolution
2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry  M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar  Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  EnterCode  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number		1	
Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0  If the resident has one or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Pressure ulcer at a given stage, enter 0.	Enter Number		
If the resident has one or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:  A. Pressure ulcer length: Longest length from head to toe  B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcers			
B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length  C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance 3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  B. Stage 2  Enter Number	If the resid	lent has one	or more unhealed Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure
C. Pressure ulcer depth: Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)  M0700. Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin  2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry  Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  A. Stage 2  Enter Number  B. Stage 3		• cm	A. Pressure ulcer length: Longest length from head to toe
moral enter a dash in each box)  Moral Most Severe Tissue Type for Any Pressure Ulcer  Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin  2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  Moral Mo		• cm	B. Pressure ulcer width: Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length
Select the best description of the most severe type of tissue present in any pressure ulcer bed  1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin 2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance 3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous 4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin 9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3		• cm	
1. Epithelial tissue - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin  2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance  3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous  4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3	M0700.	Most Seve	re Tissue Type for Any Pressure Ulcer
2. Granulation tissue - pink or red tissue with shiny, moist, granular appearance 3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous 4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin 9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3	Enter Code		
3. Slough - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous 4. Eschar - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin 9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3	Litter Code	· -	
skin  9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3			
9. None of the Above  M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3			,
M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA or Scheduled PPS) or Last Admission/Entry or Reentry Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were not present or were at a lesser stage on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3			
Complete only if A0310E = 0  Indicate the number of current pressure ulcers that were <b>not present or were at a lesser stage</b> on prior assessment (OBRA or scheduled PPS) or last entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3	M0800.		
entry. If no current pressure ulcer at a given stage, enter 0.  Enter Number  A. Stage 2  Enter Number  B. Stage 3			
Enter Number A. Stage 2 Enter Number B. Stage 3	1		
B. Stage 3			
Enter Number	Enter Number	B. Stage	3
C. Stage 4	Enter Number	C. Stage	4

Identifier \_\_\_\_\_ Date \_\_\_\_

Resident \_

Resident			dentifier	Date
Sectio	n M	Skin Conditions		
	Healed Pressure Uld	ers		
	e only if A0310E = 0	core present on the prior assessment (OP	PA or schodulod PBC)?	
Enter Code	-	<b>cers present on the prior assessment (OB</b> o M1030, Number of Venous and Arterial UI		
		inue to M0900B, Stage 2	cei3	
			ior assessment (OBRA or scheduled PPS) tha en stage since the prior assessment (OBRA o	
Enter Number				
	B. Stage 2			
Enter Number	C. Stage 3			
Enter Number	D. Stage 4			
	D. Stage 4			
M1030. I	Number of Venous	and Arterial Ulcers		
Enter Number	Enter the total number	per of venous and arterial ulcers present		
M1040. (	Other Ulcers, Woun	ds and Skin Problems		
	eck all that apply			
<b>V</b> CI	Foot Problems			
		oot (e.g., cellulitis, purulent drainage)		
	B. Diabetic foot ulc			
	C. Other open lesio	n(s) on the foot		
	Other Problems			
	D. Open lesion(s) ot	her than ulcers, rashes, cuts (e.g., cancer le	esion)	
	E. Surgical wound(s	)		
	F. Burn(s) (second o	third degree)		
	G. Skin tear(s)			
		ted Skin Damage (MASD) (e.g., incontiner	nce-associated dermatitis [IAD], perspiration	ı, drainage)
	None of the Above  Z. None of the above	ware present		
	Skin and Ulcer Trea	iments		
↓ Ch	eck all that apply			
	A. Pressure reducin			
	B. Pressure reducin C. Turning/reposition			
		ation intervention to manage skin problen		
	E. Pressure ulcer ca		15	
	F. Surgical wound o			
		onsurgical dressings (with or without topic	al medications) other than to feet	
		intments/medications other than to feet		
		essings to feet (with or without topical med	 dications)	
	Z. None of the above			

Resident _				Identifier	Date
Sectio	n N	J	Medications		
N0300. I	njed	ctions			
Enter Days	l		er of days that injections o  → Skip to N0410, Medication		7 days or since admission/entry or reentry if less
N0350. I	nsu	lin			
Enter Days	A.	Insulin injections or reentry if less t		ays that insulin injections were received	d during the last 7 days or since admission/entry
Enter Days	В.			ays the physician (or authorized assist admission/entry or reentry if less than 7 o	ant or practitioner) changed the resident's days
N0410. I	Иed	ications Receive	ed		
					cal classification, not how it is used, during the received by the resident during the last 7 days
Enter Days	A.	Antipsychotic			
Enter Days	В.	Antianxiety			
Enter Days	c.	Antidepressant			
Enter Days	D.	Hypnotic			
Enter Days	E.	<b>Anticoagulant</b> (e	.g., warfarin, heparin, or low-	molecular weight heparin)	
Enter Days	F.	Antibiotic			
Enter Days	G.	Diuretic			
Enter Days	н.	Opioid			
N0450. A	\nti	psychotic Medi	cation Review		
Enter Code		more recent?		ications since admission/entry or reen Skip to 00100, Special Treatments, Proce	try or the prior OBRA assessment, whichever is edures, and Programs
		1. <b>Yes</b> - Antipsyc	chotics were received on a ro	utine basis only→ Continue to N0450B,	Has a GDR been attempted?
				N basis only → Continue to N0450B, Ha	•
				utine and PRN basis → Continue to N04	50B, Has a GDR been attempted?
Enter Code		0. <b>No</b> → Skip to	se reduction (GDR) been at o N0450D, Physician docume inue to N0450C, Date of last	ented GDR as clinically contraindicated	
	C.	Date of last atter	mpted GDR:		
		_	_		
		Month I	Day Year		
N045	0 co	ntinued on nex	rt page		

Resident _				Identifier	Date			
Sectio	n N		Medications					
N0450.	N0450. Antipsychotic Medication Review - Continued							
Enter Code	D. Physician documented GDR as clinically contraindicated  0. No - GDR has not been documented by a physician as cand Programs  1. Yes - GDR has been documented by a physician as clinic GDR as clinically contraindicated			nically contraindicated →	·			
	E. D	ate physician d	ocumented GDR as clinically contraindi	ated:				

Month

Day

Year

Resident		Identifier	Date	
Section	1 O	Special Treatments, Procedures, and Progra	ms	
O0100. S	pecial Treatments	, Procedures, and Programs		
		ents, procedures, and programs that were performed during the last <b>14 d</b>	ays	
Perforn residen ago, lea		<b>dent</b> of this facility and within the <b>last 14 days</b> . Only check column 1 if or reentry) IN THE LAST 14 DAYS. If resident last entered 14 or more days	1. While NOT a Resident	2. While a Resident
Perforn	ned <i>while a resident</i> (	of this facility and within the <i>last 14 days</i>	↓ Check all	that apply 🗸
Cancer Tre				
A. Chemo				
B. Radiation				
C. Oxygen	y Treatments			
, -				
D. Suction				
E. Trached	ostomy care			
F. Ventilat	tor or respirator			
G. BiPAP/	СРАР			
Other				
H. IV medi				
I. Transfu				
J. Dialysis	S			
K. Hospice	e care			
L. Respite	e care			
M. Isolation precaut	•	active infectious disease (does not include standard body/fluid		
None of the				_
Z. None of	f the above			
		Refer to current version of RAI manual for current influenza vaccina	<u> </u>	orting period
	<ol> <li>No → Skip t</li> <li>Yes → Con</li> </ol>	receive the influenza vaccine in this facility for this year's influenza vacc to O0250C, If influenza vaccine not received, state reason tinue to O0250B, Date influenza vaccine received accine received —> Complete date and skip to O0300A, Is the resident's I		ion up to date?
	– Month	— Day Year		
Enter Code	<ol> <li>Resident not</li> <li>Received out</li> <li>Not eligible -</li> <li>Offered and of</li> <li>Not offered</li> </ol>	btain influenza vaccine due to a declared shortage		
O0300. P	neumococcal Vaco	ine		
Enter Code	0. <b>No →</b> Conti	Pneumococcal vaccination up to date? nue to O0300B, If Pneumococcal vaccine not received, state reason		
Enter Code	B. If Pneumococcal	vaccine not received, state reason: medical contraindication declined		

Resident Identifier Date Section O Special Treatments, Procedures, and Programs **00400.** Therapies A. Speech-Language Pathology and Audiology Services **Enter Number of Minutes** 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days **Enter Number of Minutes** 2. Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days **Enter Number of Minutes** 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days If the sum of individual, concurrent, and group minutes is zero, → skip to 00400A5, Therapy start date **Enter Number of Minutes 3A.** Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions in the last 7 days **Enter Number of Days** 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days **6.** Therapy end date - record the date the most recent **5. Therapy start date** - record the date the most recent therapy regimen (since the most recent entry) ended therapy regimen (since the most recent entry) started - enter dashes if therapy is ongoing Month Month Day Year **B.** Occupational Therapy **Enter Number of Minutes** 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days **Enter Number of Minutes** 2. Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days **Enter Number of Minutes** 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days If the sum of individual, concurrent, and group minutes is zero, → skip to O0400B5, Therapy start date **Enter Number of Minutes** 3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in **co-treatment sessions** in the last 7 days **Enter Number of Days** 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days

**5. Therapy start date** - record the date the most recent

Day

MDS 3.0 Nursing Home Comprehensive (NC) Version 1.15.1 Effective 10/01/2017

therapy regimen (since the most recent entry) started

**00400** continued on next page

Month

**6. Therapy end date** - record the date the most recent

- enter dashes if therapy is ongoing

Day

Month

therapy regimen (since the most recent entry) ended

esident	Identifier   Date						
Section O	Special Treatments, Procedures, and Programs						
O0400. Therapies							
	C. Physical Therapy						
Enter Number of Minutes	<ol> <li>Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days</li> </ol>						
Enter Number of Minutes	<ol><li>Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days</li></ol>						
Enter Number of Minutes	3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days						
	If the sum of individual, concurrent, and group minutes is zero, → skip to O0400C5, Therapy start date						
Enter Number of Minutes	<b>3A. Co-treatment minutes -</b> record the total number of minutes this therapy was administered to the resident in <b>co-treatment sessions</b> in the last 7 days						
Enter Number of Days	4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days						
	<ul> <li>5. Therapy start date - record the date the most recent therapy regimen (since the most recent entry) started</li> <li>6. Therapy end date - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing</li> </ul>						
	Month Day Year Month Day Year  D. Respiratory Therapy						
Enter Number of Minutes	Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days						
	If zero, → skip to O0400E, Psychological Therapy						
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days						
	E. Psychological Therapy (by any licensed mental health professional)						
Enter Number of Minutes	1. Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days						
	If zero, → skip to O0400F, Recreational Therapy						
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days						
	F. Recreational Therapy (includes recreational and music therapy)						
Enter Number of Minutes	1. Total minutes - record the total number of minutes this therapy was administered to the resident in the last 7 days  If zero, → skip to O0420, Distinct Calendar Days of Therapy						
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days						
O0420. Distinct Ca	alendar Days of Therapy						
Enter Number of Days	Record the number of calendar days that the resident received Speech-Language Pathology and Audiology Services, Occupational Therapy, or Physical Therapy for at least 15 minutes in the past 7 days.						
O0450. Resumption	on of Therapy - Complete only if A0310C = 2 or 3 and A0310F = 99						
	previous rehabilitation therapy regimen (speech, occupational, and/or physical therapy) ended, as reported on this End of						
0. <b>N</b> o	py OMRA, and has this regimen now resumed at exactly the same level for each discipline?  → Skip to O0500, Restorative Nursing Programs						
1. Ye	s on which therapy regimen resumed:						

Year

Day

Month

esident		Identifier		Date
Sectio	n O	Special Treatments, Procedure	s, and Programs	
O0500. R	Restorative Nursing	) Programs		
	number of days each none or less than 15 m	n of the following restorative programs was performinutes daily)	ed (for at least 15 minutes a day) in	the last 7 calendar days
Number of Days	Technique			
	A. Range of motion	ı (passive)		
	B. Range of motion	ı (active)		
	C. Splint or brace a	ssistance		
Number of Days	Training and Skill P	ractice In:		
	D. Bed mobility			
	E. Transfer			
	F. Walking			
	G. Dressing and/or	grooming		
	H. Eating and/or sv	vallowing		
	I. Amputation/pro	stheses care		
	J. Communication			
00600 0	hveisian Francisca	:		

### **O0600. Physician Examinations**

Enter Days

Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) examine the resident?

# **00700. Physician Orders**

Enter Days

Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) change the resident's orders?

esident			ldentifier	Date
Section P	Restraints and Ala	rms		
P0100. Physical Rest	raints			
	y manual method or physical or mechar move easily which restricts freedom of m			ched or adjacent to the resident's body that dy
		Ų E	inter Codes in Boxes	
			Used in Bed	
			A. Bed rail	
			B. Trunk restraint	
			C. Limb restraint	
Coding:  0. Not used  1. Used less than daily			D. Other	
2. Used daily	,		Used in Chair or Out of Bed	
·			E. Trunk restraint	
			F. Limb restraint	
			G. Chair prevents rising	
			H. Other	
P0200. Alarms				
An alarm is any physical	or electronic device that monitors reside	ent mo	ovement and alerts the staff when	movement is detected
		↓ E	inter Codes in Boxes	
			A. Bed alarm	
			B. Chair alarm	
Coding: 0. Not used			C. Floor mat alarm	

D. Motion sensor alarm

F. Other alarm

E. Wander/elopement alarm

1. Used less than daily

2. Used daily

esident		i	lde	ntifier		Date
Sectio	n Q	Participation in	n Assessmen	t and Goal S	etting	
Q0100. P	articipation in Ass	sessment				
Enter Code	A. Resident particip 0. No 1. Yes	pated in assessment				
Enter Code	0. <b>No</b> 1. <b>Yes</b>	cant other participated in				
Enter Code	0. <b>No</b> 1. <b>Yes</b>	ally authorized represent no guardian or legally a				
	Resident's Overall E	Expectation				
Complete	only if A0310E = 1					
Enter Code	<ol> <li>Expects to be</li> <li>Expects to rer</li> </ol>	esident's overall goal esta discharged to the comm main in this facility discharged to another fa uncertain	unity	essment process		
Enter Code	<ol> <li>Resident</li> <li>If not resident</li> </ol>	ation source for Q0300A t, then family or significan t, family, or significant othe uncertain		legally authorized	d representative	
Q0400. E	Discharge Plan					
Enter Code	A. Is active dischard  0. No  1. Yes → Skip t	ge planning already occu	urring for the resido	ent to return to the	e community?	
Q0490. F	<u> </u>	ice to Avoid Being Ask	ed Question Q05	00B		
	only if A0310A = 02, 0					
Enter Code	0. <b>No</b>	clinical record document to Q0600, Referral	t a request that this	question be asked	d only on comprehe	nsive assessments?
Q0500. F	eturn to Commun	ity				
Enter Code	respond): <b>"Do y</b> o	ou want to talk to somes in the community?"				nt is unable to understand or <b>d returning to live and</b>
Q0550. R	tesident's Preferen	ice to Avoid Being Ask	ed Question Q05	00B Again		
Enter Code	respond) <b>want to</b> assessments.)	be asked about returning the bearing bearing about returning the bearing and t	ng to the communi	ty on <u>all</u> assessmer	nts? (Rather than only	
F	R Indicate informa	ation source for 00550A				

2. If not resident, then **family or significant other** 

3. If not resident, family or significant other, then **guardian or legally authorized representative** 

1. Resident

9. None of the above

Resident Identifier Date	Resident	Identifier	Date
--------------------------	----------	------------	------

# **Section Q**

# **Participation in Assessment and Goal Setting**

### Q0600. Referral

Enter Code

Has a referral been made to the Local Contact Agency? (Document reasons in resident's clinical record)

- 0. No referral not needed
- 1. **No** referral is or may be needed (For more information see Appendix C, Care Area Assessment Resources #20)
- 2. Yes referral made

Resident Identifier Date

# **Section V**

# Care Area Assessment (CAA) Summary

V0100. I	. Items From the Most Recent Prior OBRA or Scheduled PPS Assessment	
Complete	ete only if $A0310E = 0$ and if the following is true for the <b>prior assessment</b> : $A0310A = 01-06$ or $A0310B = 01-05$	
Enter Code	A. Prior Assessment Federal OBRA Reason for Assessment (A0310A value from prior assessment)	
Linter Code	01. <b>Admission</b> assessment (required by day 14)	
	02. <b>Quarterly</b> review assessment	
	03. Annual assessment	
	04. Significant change in status assessment	
	05. Significant correction to prior comprehensive assessment	
	06. Significant correction to prior quarterly assessment	
	99. None of the above	
Enter Code	B. Prior Assessment PPS Reason for Assessment (A0310B value from prior assessment)	
Litter code	01. <b>5-day</b> scheduled assessment	
	02. <b>14-day</b> scheduled assessment	
	03. <b>30-day</b> scheduled assessment	
	04. <b>60-day</b> scheduled assessment	
	05. <b>90-day</b> scheduled assessment	
	07. <b>Unscheduled assessment used for PPS</b> (OMRA, significant or clinical change, or significant correction assessment)	
	99. None of the above	
	C. Prior Assessment Reference Date (A2300 value from prior assessment)	
	Month Day Year	
Enter Score	re l	
	D. Prior Assessment Brief Interview for Mental Status (BIMS) Summary Score (C0500 value from prior assessment)	
Enter Score	ra	
Litter score	E. Prior Assessment Resident Mood Interview (PHQ-9©) Total Severity Score (D0300 value from prior assessment)	
Enter Score	F. Prior Assessment Staff Assessment of Resident Mood (PHQ-9-OV) Total Severity Score (D0600 value from prior assessment)	
	F. Filot Assessment stan Assessment of Resident Mood (Fig. 7-04) Total Seventy Score (D0000 Value from prior assessment)	

Resident	Identifier	Date

### **Section V**

# **Care Area Assessment (CAA) Summary**

### V0200. CAAs and Care Planning

- 1. Check column A if Care Area is triggered.
- 2. For each triggered Care Area, indicate whether a new care plan, care plan revision, or continuation of current care plan is necessary to address the problem(s) identified in your assessment of the care area. The <u>Care Planning Decision</u> column must be completed within 7 days of completing the RAI (MDS and CAA(s)). Check column B if the triggered care area is addressed in the care plan.
- 3. Indicate in the <u>Location and Date of CAA Documentation</u> column where information related to the CAA can be found. CAA documentation should include information on the complicating factors, risks, and any referrals for this resident for this care area.

	should include information on the complicating factors, risks, and any referrals for this resident for this care area.							
A.	CAA Results							

Care Area	A. Care Area Triggered	B. Care Planning Decision		Location an			
	↓ Check all	that apply ↓					
01. Delirium							
02. Cognitive Loss/Dementia							
03. Visual Function							
04. Communication							
05. ADL Functional/Rehabilitation Potential							
06. Urinary Incontinence and Indwelling Catheter							
07. Psychosocial Well-Being							
08. Mood State							
09. Behavioral Symptoms							
10. Activities							
11. Falls							
12. Nutritional Status							
13. Feeding Tube							
14. Dehydration/Fluid Maintenance							
15. Dental Care							
16. Pressure Ulcer							
17. Psychotropic Drug Use							
18. Physical Restraints							
19. Pain							
20. Return to Community Referral							
B. Signature of RN Coordinator for CAA Process a	nd Date Signed						
1. Signature			2. Date				
			Month	– - Day	– Year		
C. Signature of Person Completing Care Plan Dec	ision and Date Sig	ned	montal	<i>Du</i> ,	i cui		
1. Signature			2. Date				
			-		_		
			Month	Day	Year		

esident			ldentifier	Date
Sectior	ı X	<b>Correction Request</b>		
dentifica section, rep	tion of Record to be roduce the informati	ly if A0050 = 2 or 3  De Modified/Inactivated - The on EXACTLY as it appeared on the locate the existing record in the Na	existing erroneous record, eve	isting assessment record that is in error. In this n if the information is incorrect.
X0150. Ty	ype of Provider (A	0200 on existing record to be m	nodified/inactivated)	
Enter Code	Type of provider 1. Nursing hom 2. Swing Bed	e (SNF/NF)		
X0200. N	ame of Resident (A	A0500 on existing record to be	modified/inactivated)	
	A. First name: C. Last name:			
X0300. G	ender (A0800 on e	xisting record to be modified/ir	nactivated)	
Enter Code	1. Male 2. Female			
X0400. Bi	irth Date (A0900 o	n existing record to be modified	d/inactivated)	
	– Month	– Day Year		
X0500. S	ocial Security Nun	<b>nber</b> (A0600A on existing recor	d to be modified/inactivate	d)
	_	-		
X0600. Ty	ype of Assessment	t (A0310 on existing record to b	e modified/inactivated)	
Enter Code	01. Admission a 02. Quarterly re 03. Annual asse 04. Significant o 05. Significant	ssment change in status assessment correction to prior comprehensiv correction to prior quarterly asse		
Enter Code	<ul> <li>01. 5-day sched</li> <li>02. 14-day sche</li> <li>03. 30-day sche</li> <li>04. 60-day sche</li> <li>05. 90-day sche</li> <li>PPS Unschedule</li> </ul>	Assessments for a Medicare Part uled assessment duled assessment duled assessment duled assessment duled assessment duled assessment duled assessment ed Assessments for a Medicare Pa ed assessment used for PPS (OMR nent	art A Stay	e, or significant correction assessment)
Litter Code	C. PPS Other Medic 0. No 1. Start of thera 2. End of thera 3. Both Start an	care Required Assessment - OMR  Apy assessment  by assessment  ad End of therapy assessment  erapy assessment	A	

Resident		Identifier	Date	
Section 2	Correction Req	uest		
Х0600. Тур	of Assessment - Continued			
Enter Code <b>D.</b>	<ul> <li>D. Is this a Swing Bed clinical change assessment? Complete only if X0150 = 2</li> <li>0. No</li> <li>1. Yes</li> </ul>			
Enter Code <b>F.</b>	<ul> <li>Entry/discharge reporting</li> <li>10. Entry tracking record</li> <li>10. Discharge assessment-return not ant</li> <li>11. Discharge assessment-return anticipate</li> <li>12. Death in facility tracking record</li> <li>99. None of the above</li> </ul>			
Enter Code H.	Is this a SNF Part A PPS Discharge Assessi 0. No 1. Yes	ment?		
X0700. Date	on existing record to be modified/inac	tivated - <b>Complete one only</b>		
A.	Assessment Reference Date (A2300 on ex   Month Day Year	isting record to be modified/inactivated) - Com	iplete only if X0600F = 99	
	– – Month Day Year	to be modified/inactivated) - Complete only if i		
c.	Entry Date (A1600 on existing record to be   Month Day Year	modified/inactivated) - Complete only if X060	)F = 01	
Correction A	ttestation Section - Complete this sect	cion to explain and attest to the modificati	on/inactivation request	
X0800. Cori	ection Number			
Enter Number  Enter the number of correction requests to modify/inactivate the existing record, including the present one				
<b>X0900.</b> Reasons for Modification - Complete only if Type of Record is to modify a record in error (A0050 = 2)				
	ill that apply			
	Transcription error			
	Data entry error			
	C. Software product error			
	D. Item coding error  E. End of Therapy - Resumption (EOT-R) date			
	Other error requiring modification If "Other" checked, please specify:			
<b>X1050. Reasons for Inactivation</b> - Complete only if Type of Record is to inactivate a record in error (A0050 = 3)				
	↓ Check all that apply			
	Event did not occur			
z.	Other error requiring inactivation If "Other" checked, please specify:			

Resident	Identifier	Date

Section X	Correction Request			
X1100. RN Assessment Coordinator Attestation of Completion				
A. Attesting individ	dual's first name:			
B. Attesting individ	dual's last name:			
C. Attesting individ	dual's title:			
D. Signature				
E. Attestation date  —  Month	— Day Year			

Resident		Identifier	Date		
Sectio	n Z	Assessment Administration			
Z0100. N	Z0100. Medicare Part A Billing				
	A. Medicare Part A I	HIPPS code (RUG group followed by assessment type indi	cator):		
	B. RUG version code	<b>::</b>			
Enter Code	C. Is this a Medicare 0. No 1. Yes	Short Stay assessment?			
Z0150. N	/ledicare Part A Non	-Therapy Billing			
	A. Medicare Part A	non-therapy HIPPS code (RUG group followed by assessr	nent type indicator):		
Z0200. S	 	g (if required by the state)			
	A. RUG Case Mix gro	oup:			
	B. RUG version code	<b>::</b>			
Z0250. A	Alternate State Med	icaid Billing (if required by the state)			
	A. RUG Case Mix gro	oup:			
	B. RUG version code	r:			
Z0300. Insurance Billing					
	RUG billing code     B. RUG billing version				

Resident	Accocment Admini	Identifier	Date			
	20400. Signature of Persons Completing the Assessment or Entry/Death Reporting					
collection of this information Medicare and Medicaid recorare, and as a basis for paying overnment-funded health or may subject my organize	I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.					
S	Signature	Title	Sections	Date Section Completed		
A.						
B.						
C.						
D.						
E.						
F.						
G.						
H.						
I.						
J.						
K.						
L.						

**Legal Notice Regarding MDS 3.0** - Copyright 2011 United States of America and interRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9; Confusion Assessment Method. © 1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Both Pfizer Inc. and the Hospital Elder Life Program, LLC have granted permission to use these instruments in association with the MDS 3.0.

**Z0500.** Signature of RN Assessment Coordinator Verifying Assessment Completion

A. Signature:

B. Date RN Assessment Coordinator signed

Day

Year

assessment as complete:

Month