MINIMUM DATA SET (MDS) - Version 3.0 RESIDENT ASSESSMENT AND CARE SCREENING

Nursing Home Quarterly (NQ) Item Set

Section A Identification Information				
A0050. Type of Record				
 Enter Code Add new record → Continue to A0100, Facility Provider Numbers Modify existing record → Continue to A0100, Facility Provider Numbers Inactivate existing record → Skip to X0150, Type of Provider 				
A0100. Facility Provider Numbers				
A. National Provider Identifier (NPI):				
B. CMS Certification Number (CCN): C. State Provider Number:				
A0200. Type of Provider				
Enter Code Type of provider 1. Nursing home (SNF/NF) 2. Swing Bed				
A0310. Type of Assessment				
A. Federal OBRA Reason for Assessment 01. Admission assessment (required by day 14) 02. Quarterly review assessment 03. Annual assessment 04. Significant change in status assessment 05. Significant correction to prior comprehensive assessment 06. Significant correction to prior quarterly assessment 99. None of the above				
B. PPS Assessment PPS Scheduled Assessments for a Medicare Part A Stay 01. 5-day scheduled assessment 02. 14-day scheduled assessment 03. 30-day scheduled assessment 04. 60-day scheduled assessment 05. 90-day scheduled assessment PPS Unscheduled Assessments for a Medicare Part A Stay 07. Unscheduled Assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment) Not PPS Assessment 99. None of the above				
C. PPS Other Medicare Required Assessment - OMRA 0. No 1. Start of therapy assessment 2. End of therapy assessment 3. Both Start and End of therapy assessment 4. Change of therapy assessment				
Enter Code D. Is this a Swing Bed clinical change assessment? Complete only if A0200 = 2 0. No 1. Yes				
E. Is this assessment the first assessment (OBRA, Scheduled PPS, or Discharge) since the most recent admission/entry or reentry? 0. No 1. Yes A0310 continued on next page				

esident		ldentifier	Date
Section A	Identification Info	rmation	
A0310. Type of Assessme	nt - Continued		
11. Discharge	king record e assessment-return not anticipat e assessment-return anticipated facility tracking record	ed	
G. Type of discha 1. Planned 2. Unplanned	rge - Complete only if A0310F = 1	0 or 11	
H. Is this a SNF Pa 0. No 1. Yes	art A PPS Discharge Assessment?		
A0410. Unit Certification	or Licensure Designation		
2. Unit is neit		fied and MDS data is not required fied but MDS data is required by t	
N0500. Legal Name of Re	sident		
A. First name:			B. Middle initial:
C. Last name:			D. Suffix:
A0600. Social Security ar	nd Medicare Numbers		
A. Social Security B. Medicare num	y Number: — — — sber (or comparable railroad insura	nnce number):	
A0700. Medicaid Numbe	r - Enter "+" if pending, "N" if no	t a Medicaid recipient	
N0800. Gender			
1. Male 2. Female			
A0900. Birth Date			
– Month	– Day Year		
A1000. Race/Ethnicity			
Check all that apply			
A. American Indi	an or Alaska Native		
B. Asian			
C. Black or Africa			
D. Hispanic or La			
E. Native Hawaii	an or Other Pacific Islander		

F. White

Resident Identifier Date						
Section A Identification Information						
A1100. Language						
0. No → Skip 1 1. Yes → Spec 9. Unable to de	A. Does the resident need or want an interpreter to communicate with a doctor or health care staff? 0. No → Skip to A1200, Marital Status 1. Yes → Specify in A1100B, Preferred language 9. Unable to determine → Skip to A1200, Marital Status B. Preferred language:					
A1200. Marital Status						
Enter Code 1. Never married 2. Married 3. Widowed 4. Separated 5. Divorced						
A1300. Optional Resident I	tems					
A. Medical record number: B. Room number: C. Name by which resident prefers to be addressed: D. Lifetime occupation(s) - put "/" between two occupations:						
Most Recent Admission/Ent	try or Reentry into this Facility					
A1600. Entry Date	, ,					
-	– Day Year					
A1700. Type of Entry						
Enter Code 1. Admission 2. Reentry	1. Admission					
A1800. Entered From						
02. Another nui 03. Acute hospi 04. Psychiatric l 05. Inpatient re 06. ID/DD facilit 07. Hospice	hospital Phabilitation facility	ving, group home)				
A1900. Admission Date (Date this episode of care in this facility began)						
— Month	– Day Year					

Resident			Identifier	Date		
Sectio	n A	Identificati	on Information			
A2000. D	Discharge Date					
Complete	only if A0310F = 10	0, 11, or 12				
	_	_				
	Month	Day Y	/ear			
A2100 F	Discharge Status	Day	eai			
	only if A0310F = 10	0. 11. or 12				
			, board/care, assisted living, group hom	ne)		
Enter Code		ırsing home or swir	ng bed			
	03. Acute hosp					
	04. Psychiatric	nospitai ehabilitation facilit	v			
	06. ID/DD facili		,			
	07. Hospice					
	08. Deceased	a	D.			
	99. Cong Term	Care Hospital (LTC)	H)			
Δ2200 P	777 7 377	nt Reference Dat	e for Significant Correction			
	only if $A0310A = 0$		e ioi oigiimeani correction			
	_	_				
	Month	Day Y	/ear			
A2300. A	Assessment Refere	nce Date				
	Observation end da	ate:				
	_	_				
	Month	Day Y	'ear			
A2400. N	Nedicare Stay					
Enter Code	A. Has the residen	t had a Medicare-co	overed stay since the most recent ent	try?		
Zinter code	0. No → Skip to B0100, Comatose					
	1. Yes → Continue to A2400B, Start date of most recent Medicare stay					
	B. Start date of me	ost recent Medicare	e stay:			
	_	_				

Month

Month

Day

Day

Year **C. End date of most recent Medicare stay** - Enter dashes if stay is ongoing:

Year

Look back period for all items is 7 days unless another time frame is indicated

Section B Hearing, Speech, and Vision						
B0100. Comatose						
0. No → Cont	ive state/no discernible consciousness inue to B0200, Hearing to G0110, Activities of Daily Living (ADL) Assistance					
B0200. Hearing						
0. Adequate - 1. Minimal dif 2. Moderate d	th hearing aid or hearing appliances if normally used) no difficulty in normal conversation, social interaction, listening to TV ficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) ifficulty - speaker has to increase volume and speak distinctly aired - absence of useful hearing					
B0300. Hearing Aid						
Enter Code Hearing aid or oth 0. No 1. Yes	er hearing appliance used in completing B0200, Hearing					
B0600. Speech Clarity						
0. Clear speed 1. Unclear speed	Select best description of speech pattern 0. Clear speech - distinct intelligible words 1. Unclear speech - slurred or mumbled words 2. No speech - absence of spoken words					
B0700. Makes Self Unders	stood					
0. Understood 1. Usually und	lerstood - difficulty communicating some words or finishing thoughts but is able if prompted or given time understood - ability is limited to making concrete requests					
B0800. Ability To Underst	and Others					
0. Understand 1. Usually und 2. Sometimes	rbal content, however able (with hearing aid or device if used) Is - clear comprehension lerstands - misses some part/intent of message but comprehends most conversation understands - responds adequately to simple, direct communication only r understands					
B1000. Vision						
0. Adequate - 1. Impaired - 2. Moderately 3. Highly impa 4. Severely im	lequate light (with glasses or other visual appliances) sees fine detail, such as regular print in newspapers/books sees large print, but not regular print in newspapers/books impaired - limited vision; not able to see newspaper headlines but can identify objects aired - object identification in question, but eyes appear to follow objects paired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects					
B1200. Corrective Lenses						
Enter Code Corrective lenses (0. No	contacts, glasses, or magnifying glass) used in completing B1000, Vision					

Resident			ldentifier	Date
Section	n C	Cognitive Patterns		
	Should Brief Intervito conduct interview v	riew for Mental Status (C0200-C05 vith all residents	00) be Conducted?	
Enter Code	o. No (resident is	rarely/never understood) → Skip to an nue to C0200, Repetition of Three Words	-	aff Assessment for Mental Status
Brief In	terview for Mer	ital Status (BIMS)		
C0200.	Repetition of Thr	ee Words		
Enter Code	The words are: so Number of words 0. None 1. One 2. Two	going to say three words for you to ck, blue, and bed. Now tell me the repeated after first attempt	-	at the words after I have said all three.
		first attempt, repeat the words usin may repeat the words up to two mo	-	to wear; blue, a color; bed, a piece
C0300.		ation (orientation to year, month		
Enter Code	A. Able to report	> 5 years or no answer 2-5 years		
Enter Code	B. Able to report 0. Missed by	> 1 month or no answer 5 days to 1 month		
Enter Code	C. Able to report 0. Incorrect of 1. Correct	at day of the week is today?" correct day of the week no answer		
C0400.				
Enter Code	If unable to remem A. Able to recall 0. No - could r	not recall ueing ("something to wear")		* *
Enter Code	B. Able to recall ' 0. No - could r	'blue" not recall ueing ("a color")		
Enter Code	C. Able to recall ' 0. No - could r	'bed" not recall ueing ("a piece of furniture")		
C0500.	BIMS Summary S	core		
		estions CO200 CO400 and fill in total	ssara (00.15)	

Enter 99 if the resident was unable to complete the interview

esident	Identifier	Date				
Section C	ection C Cognitive Patterns					
C0600. Should the Staff As	sessment for Mental Status (C0700 - C1000) be Conducted?					
	as able to complete Brief Interview for Mental Status) → Skip to C131 vas unable to complete Brief Interview for Mental Status) → Continue					
Staff Assessment for Mental	Status					
Do not conduct if Brief Interview	for Mental Status (C0200-C0500) was completed					
C0700. Short-term Memory	ОК					
Seems or appears to 0. Memory OK 1. Memory prob	recall after 5 minutes					
C0800. Long-term Memory	ок					
Seems or appears to 0. Memory OK 1. Memory prob						
C0900. Memory/Recall Abili	ty					
↓ Check all that the resider	nt was normally able to recall					
A. Current season						
B. Location of own i	oom					
C. Staff names and f	races					
D. That he or she is	in a nursing home/hospital swing bed					
Z. None of the abov	e were recalled					
C1000. Cognitive Skills for D	Daily Decision Making					
0. Independent 1. Modified inde 2. Moderately in	Made decisions regarding tasks of daily life					
Delirium						
C1310. Signs and Symptoms	of Delirium (from CAM©)					
Code after completing Brief Inter	view for Mental Status or Staff Assessment, and reviewing medical reco	ord				
A. Acute Onset Mental Status C	nange					
Is there evidence of a 0. No 1. Yes	n acute change in mental status from the resident's baseline?					
	↓ Enter Codes in Boxes					
Coding: 0. Behavior not present	 B. Inattention - Did the resident have difficulty focusing att having difficulty keeping track of what was being said? C. Disorganized thinking - Was the resident's thinking disc 					
1. Behavior continuously present, does not	conversation, unclear or illogical flow of ideas, or unpred					
fluctuate	D. Altered level of consciousness - Did the resident have a any of the following criteria?	altered level of consciousness as indicated by				
Behavior present, fluctuates (comes and goes, changes in severity)	 vigilant - startled easily to any sound or touch lethargic - repeatedly dozed off when being asked qu stuporous - very difficult to arouse and keep aroused comatose - could not be aroused 	•				
Confusion Assessment Method. ©1988, .	 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. 1	Ann Intern Med. 1990; 113:941-8. Used with permission.				

Section D Mood					
D0100. Should Resident Mood Interview be Conducted? - Attempt to conduct interview with	all residents				
0. No (resident is rarely/never understood) → Skip to and complete D0500-D0600, Staff Ass (PHQ-9-OV) 1. Yes → Continue to D0200, Resident Mood Interview (PHQ-9©)	essment of Resident N	Mood			
D0200. Resident Mood Interview (PHQ-9©)					
Say to resident: "Over the last 2 weeks, have you been bothered by any of the following	nrohlems?"				
If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the resident: "About how often have you been bothered by this?" Read and show the resident a card with the symptom frequency choices. Indicate response in column		equency.			
 Symptom Presence No (enter 0 in column 2) Yes (enter 0-3 in column 2) No response (leave column 2) Symptom Frequency Never or 1 day 2-6 days (several days) 7-11 days (half or more of the days) 	1. Symptom Presence	2. Symptom Frequency			
blank) 3. 12-14 days (nearly every day)	↓ Enter Score	es in Boxes ↓			
A. Little interest or pleasure in doing things					
B. Feeling down, depressed, or hopeless					
C. Trouble falling or staying asleep, or sleeping too much					
D. Feeling tired or having little energy					
E. Poor appetite or overeating					
F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down					
G. Trouble concentrating on things, such as reading the newspaper or watching television					
H. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual					
Thoughts that you would be better off dead, or of hurting yourself in some way					
D0300. Total Severity Score					
Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more items).					
D0350. Safety Notification - Complete only if $D020011 = 1$ indicating possibility of resident self h	arm				
Enter Code Was responsible staff or provider informed that there is a potential for resident self harm? 0. No 1. Yes					

Identifier

Date

Resident

Resident	Identifier	Date					
Section D Mood							
Do not conduct if Resident Mo	of Resident Mood (PHQ-9-OV*) od Interview (D0200-D0300) was completed e resident have any of the following problems or behaviors?						
	(yes) in column 1, Symptom Presence. tom Frequency, and indicate symptom frequency.						
	3. 12-14 days (nearly every day)	↓ Enter Scor	es in Boxes ↓				
A. Little interest or pleasure	e in doing things						
B. Feeling or appearing dov	wn, depressed, or hopeless						
C. Trouble falling or staying	g asleep, or sleeping too much						
D. Feeling tired or having li	D. Feeling tired or having little energy						
E. Poor appetite or overeating							
F. Indicating that s/he feels	F. Indicating that s/he feels bad about self, is a failure, or has let self or family down						
G. Trouble concentrating o	G. Trouble concentrating on things, such as reading the newspaper or watching television						
H. Moving or speaking so slowly that other people have noticed. Or the opposite - being so fidgety or restless that s/he has been moving around a lot more than usual							
I. States that life isn't worth living, wishes for death, or attempts to harm self							
J. Being short-tempered, easily annoyed							
D0600. Total Severity Sco	re						
Enter Score Add scores for all	frequency responses in Column 2, Symptom Frequency. Total score must be	between 00 and 30.					
D0650. Safety Notification	1 - Complete only if D0500I1 = 1 indicating possibility of resident self ha	arm					

Was responsible staff or provider informed that there is a potential for resident self harm?

Enter Code

No
 Yes

^{*} Copyright © Pfizer Inc. All rights reserved.

Resident	esident Identifier Date					
Section	n E	Behavior				
E0100. P	otential Indicators	of Psychosis				
↓ Che	eck all that apply					
	A. Hallucinations (p	perceptual experiences	s in the absenc	e of real external sensory stimul	i)	
	B. Delusions (misco	nceptions or beliefs th	at are firmly h	eld, contrary to reality)		
Z. None of the above						
Behavior	al Symptoms					
E0200. B	Sehavioral Symptor	n - Presence & Freq	luency			
Note pres	ence of symptoms an	d their frequency				
			↓ Enter Co	odes in Boxes		
Coding:	avior not avhibited		A.	A. Physical behavioral symptoms directed toward others (e.g., hitting, kicking, pushing, scratching, grabbing, abusing others sexually)		
 Behavior not exhibited Behavior of this type occurred 1 to 3 days Behavior of this type occurred 4 to 6 days, but less than daily Behavior of this type occurred daily 			В.	B. Verbal behavioral symptoms directed toward others (e.g., threatening others, screaming at others, cursing at others)		
		,	C.	symptoms such as hitting or so	not directed toward others (e.g., physical cratching self, pacing, rummaging, public throwing or smearing food or bodily wastes, screaming, disruptive sounds)	
E0800. R	lejection of Care - P	resence & Frequen	су			
Enter Code	Did the resident reject evaluation or care (e.g., bloodwork, taking medications, ADL assistance) that is necessary to achieve the resident's goals for health and well-being? Do not include behaviors that have already been addressed (e.g., by discussion or care planning with the resident or family), and determined to be consistent with resident values, preferences, or goals. 0. Behavior not exhibited 1. Behavior of this type occurred 1 to 3 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily					
E0900. W	Vandering - Presen	ce & Frequency				
Enter Code	Has the resident wandered? 0. Behavior not exhibited 1. Behavior of this type occurred 1 to 3 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily					

A. Bed mobility - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident walks in corridor on unit E. Locomotion on unit - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	lesio	dent		Identifier		Date	
Refer to the ADL flow chart in the RAI manual to facilitate accurate coding instructions for Rule of 3 When an activity occurs three times at multiple levels, code the most dependent, exceptions are total dependence (4), activity must require for every time, and activity occurs three times at multiple levels, code the most dependent, exceptions are total dependence (4), activity must require for every time, and activity did not occur (8), activity must not have occurred at all. Example, three times extensive assistance (2), code extensive assistance (3), and three times assistance (2), code extensive assistance (3), and three times as a combination of full staff performance, weight bearing assistance, code extensive assistance. Other there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance code in the staff rome of the above are met, code supervision. ADL Self-Performance Code for resident's performance over all shifts - not including setup, if the ADL activity occurred 3 or more times at various levels of assistance code the most dependent - except for total dependence, which requires full staff performance every time Coding: Activity Occurred 3 or More Times Independent - no help or staff oversight at any time Supervision - oversight, encouragement or cueing Limited assistance - resident highly involved in activity; staff provide weight-bearing support Activity Occurred 2 or More Times Activity Occurred 2 or More Times Activity Occurred 2 or Fewer Times Activity occurred 2 or Fewer Times Activity occurred 3 of More Times Activity of did not occur - activity did not occur or family and/or non-facility staff provided and occur and/or non-facility staff provided and positions body while in bed or alternate sleep furniture B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position excludes to stifty all of occur or family and/or non-facility staff provided conformation (must have recident	Se	ection G	Functional Status				
■ When an activity occurs three times at anyone given level, code the most dependent, exceptions are total dependence (4), activity must require for every time, and activity did not occur (8), activity must not have occurred at all. Example, three times extensive assistance (3) and three times assistance (2), code extensive assistance (3). ■ When an activity occurs at various levels, but not three times at any given level, apply the following: □ When there is a combination of full staff performance, and extensive assistance, code extensive assistance. ○ When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance. ○ When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance. ○ When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance. ○ When there is a combination of full staff performance, weight bearing assistance and/or non-weight bearing assistance. ○ Code for resident's performance over all shifts - not including setup. If the ADL activity occurred or more times at various levels of assistance, code the most dependent - except for total dependence, which requires full staff performance every time ○ Independent - no help or staff oversight at any time ○ Independent - no help or staff oversight at any time ○ Supportion - oversight, encouragement or cueing ○ Limited assistance - resident highly involved in activity; staff provide english-bearing support A total dependence - full staff performance every time during entire 7-day period A total dependence - full staff performance every time during entire 7-day period A continued to the control of the time for that activity of the control of the time for that activity activity and not occur - activity did not occur of samply and/or non-facility staff provided and positions body while in bed or alternate sleep furniture □ Transfer - how resident moves between surfaces includi				accurate coding			
Code for resident's performance over all shifts - not including setup. If the ADL activity occurred 3 or more times at various levels of assistance, code the most dependent - except for total dependence, which requires full staff performance every time Coding: Activity Occurred 3 or More Times 0. Independent - no help or staff oversight at any time 1. Supervision - oversight, encouragement or cueing 2. Limited assistance - resident highly involved in activity; staff provide guided maneuvering of limbs or other non-weight-bearing assistance 3. Extensive assistance - resident involved in activity, staff provide weight-bearing support Activity Occurred 2 or Fewer Times 7. Activity Occurred 2 or Fewer Times 7. Activity occurred 1 only once or twice - activity did occur but only once or twice 8. Activity did not occur - activity did not occur or family and/or non-facility staff provided positions body while in bed or alternate sleep furniture 8. Transfer - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture 8. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident moves between locations in his/her room D. Walk in corridor - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion of funit - how resident moves to and returns from off-unit locations (e.g., areas set saide for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident by the floor of the floor	■ W ■ W a ■ W	Then an activity occurs three to the an activity occurs three to the an activity occurs three to the an activity did not assistance (2), code extensive at the an activity occurs at various when there is a combination when there is a combination.	times at multiple levels, code the t occur (8), activity must not ha assistance (3). ous levels, but not three times of full staff performance, and e of full staff performance, weigl	ne most dependent, exceptions are to ve occurred at all. Example, three tim at any given level, apply the following extensive assistance, code extensive as	es extensive ass g: ssistance.	istance (3) a	and three times limited
 Activity Occurred 3 or More Times 0. Independent - no help or staff oversight at any time 1. Supervision - oversight, encouragement or cueing 2. Limited assistance - resident highly involved in activity; staff provide guided maneuvering of limbs or other non-weight-bearing assistance 3. Extensive assistance - resident highly involved in activity; staff provide weight-bearing support 4. Total dependence - full staff performance every time during entire 7-day period Activity Occurred 2 or Fewer Times 7. Activity occurred 2 or Fewer Times 8. Activity did not occur - activity did occur but only once or twice 8. Activity did not occur - activity did not occur or family and/or non-facility staff provided care 100% of the time for that activity over the entire 7-day period A. Bed mobility - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/gremoving a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident tues the toilet room, com	1.	Code for resident's perform occurred 3 or more times at	various levels of assistance, coo	de the most dependent - except for	Code for shifts; co	most supp de regardle:	ort provided over all ss of resident's self-
A. Bed mobility - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident walks in corridor on unit E. Locomotion of unit - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,		Activity Occurred 3 or Me 1. Independent - no help or 1. Supervision - oversight, e 2. Limited assistance - resic of limbs or other non-weig 3. Extensive assistance - res 4. Total dependence - full s Activity Occurred 2 or Fe	staff oversight at any time encouragement or cueing dent highly involved in activity; ght-bearing assistance sident involved in activity, staff taff performance every time du	provide weight-bearing support ring entire 7-day period	 No se Setup One p Two+ ADL a and/o 100% entire 	help only person phys persons ph activity itself or non-facilit of the time 7-day perio	ical assist nysical assist did not occur or family sy staff provided care for that activity over the
A. Bed mobility - how resident moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,							Support
B. Transfer - how resident moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet) C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	Α.			on, turns side to side, and	+	Enter Code	s III boxes 🛊
C. Walk in room - how resident walks between locations in his/her room D. Walk in corridor - how resident walks in corridor on unit E. Locomotion on unit - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	В.	Transfer - how resident mov	es between surfaces including	to or from: bed, chair, wheelchair,			
E. Locomotion on unit - how resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	c .			s/her room			
F. Locomotion off unit - how resident moves to and returns from off-unit locations (e.g., areas set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	D.	Walk in corridor - how resid	ent walks in corridor on unit				
set aside for dining, activities or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair G. Dressing - how resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	E.						
donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses H. Eating - how resident eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	set aside for dining, activities or treatments). If facility has only one floor, how resident						
during medication pass. Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition, IV fluids administered for nutrition or hydration) I. Toilet use - how resident uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	G.	donning/removing a prosthe					
toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag J. Personal hygiene - how resident maintains personal hygiene, including combing hair,	H.	during medication pass. Incl	udes intake of nourishment by	other means (e.g., tube feeding,			
		toilet; cleanses self after elim clothes. Do not include emp ostomy bag	ination; changes pad; manages tying of bedpan, urinal, bedsid	s ostomy or catheter; and adjusts e commode, catheter bag or			
brushing teeth, shaving, applying makeup, washing/drying face and hands (excludes baths and showers)	J.	brushing teeth, shaving, app					

Resident		Identifier Date				
Section G	Functional Status					
G0120. Bathing						
dependent in self-performance	and support	ransfers in/out of tub/shower (excludes washing of back and hair). Code for most				
0. Independent 1. Supervision - 2. Physical help 3. Physical help 4. Total depend	A. Self-performance 0. Independent - no help provided 1. Supervision - oversight help only 2. Physical help limited to transfer only 3. Physical help in part of bathing activity 4. Total dependence 8. Activity itself did not occur or family and/or non-facility staff provided care 100% of the time for that activity over the entire					
	codes are as defined in item G	i0110 column 2, ADL Support Provided, above)				
G0300. Balance During Tra						
After observing the resident, coc	le the following walking and	I transition items for most dependent				
Coding:		A. Moving from seated to standing position				
 Steady at all times Not steady, but <u>able</u> to st 	abilize without staff	B. Walking (with assistive device if used)				
assistance 2. Not steady, <u>only able</u> to s assistance	stabilize with staff	C. Turning around and facing the opposite direction while walking				
8. Activity did not occur		D. Moving on and off toilet				
		E. Surface-to-surface transfer (transfer between bed and chair or wheelchair)				
G0400. Functional Limitation	on in Range of Motion					
Code for limitation that interfer	ed with daily functions or plac	ed resident at risk of injury				
Coding:		↓ Enter Codes in Boxes				
No impairment Impairment on one side		A. Upper extremity (shoulder, elbow, wrist, hand)				
2. Impairment on both side	S	B. Lower extremity (hip, knee, ankle, foot)				
G0600. Mobility Devices						
↓ Check all that were normally used						
A. Cane/crutch	A. Cane/crutch					
B. Walker C. Wheelchair (manual or electric)						
				D. Limb prosthesis		
Z. None of the above were used						

Section GG

Functional Abilities and Goals - Admission (Start of SNF PPS Stay)

GG0130. Self-Care (Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B) Complete only if A0310B = 01

Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code end of SNF PPS stay (discharge) goals.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical** condition or safety concerns.

1. Admission Performance	2. Discharge Goal	
1	s in Boxes 👃	
		A. Eating: The ability to use suitable utensils to bring food to the mouth and swallow food once the meal is presented on a table/tray. Includes modified food consistency.
		B. Oral hygiene: The ability to use suitable items to clean teeth. [Dentures (if applicable): The ability to remove and replace dentures from and to the mouth, and manage equipment for soaking and rinsing them.]
		C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after using the toilet, commode, bedpan, or urinal. If managing an ostomy, include wiping the opening but not managing equipment.

esident	ldentifier	Date

Section GG

Functional Abilities and Goals - Admission (Start of SNF PPS Stay)

GG0170. Mobility (Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B) Complete only if A0310B = 01

Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code end of SNF PPS stay (discharge) goals.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Resident completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. Substantial/maximal assistance Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical** condition or safety concerns.

Or, the	e assistance of	2 or more helpers is required for the resident to complete the activity.		
1. Admission Performance Letter Code	2. Discharge Goal s in Boxes ↓			
		B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.		
		C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.		
		D. Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed.		
		E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).		
		F. Toilet transfer: The ability to safely get on and off a toilet or commode.		
		 H1. Does the resident walk? 0. No, and walking goal is not clinically indicated → Skip to GG0170Q1, Does the resident use a wheelchair/scooter? 1. No, and walking goal is clinically indicated → Code the resident's discharge goal(s) for items GG0170J and GG0170K 2. Yes → Continue to GG0170J, Walk 50 feet with two turns 		
		J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		
		K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.		
		Q1. Does the resident use a wheelchair/scooter? 0. No → Skip to GG0130, Self Care (Discharge) 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns		
		R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.		
		RR1. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized		
		S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.		
		SS1. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized		

Section GG

Functional Abilities and Goals - Discharge (End of SNF PPS Stay)

GG0130. Self-Care (Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C) Complete only if A0310G is not = 2 **and** A0310H = 1 **and** A2400C minus A2400B is greater than 2 **and** A2100 is not = 03

Code the resident's usual performance at the end of the SNF PPS stay for each activity using the 6-point scale. If an activity was not attempted at the end of the SNF PPS stay, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Resident completes the activity by him/herself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical condition or safety concerns.**

0.,	or, and assistance of 2 or more neighbors is required for the resident to complete and activity.			
3. Discharge Performance				
Enter Code	A. Eating: The ability to use suitable utensils to bring food to the mouth and swallow food once the meal is presented on a table/ tray. Includes modified food consistency.			
Enter Code	B. Oral hygiene: The ability to use suitable items to clean teeth. [Dentures (if applicable): The ability to remove and replace dentures from and to the mouth, and manage equipment for soaking and rinsing them.]			
Enter Code	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after using the toilet, commode, bedpan, or urinal. If managing an ostomy, include wiping the opening but not managing equipment.			

Identifier I	Date

Section GG

Functional Abilities and Goals - Discharge (End of SNF PPS Stay)

GG0170. Mobility (Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C) Complete only if A0310G is not = 2 and A0310H = 1 and A2400C minus A2400B is greater than 2 and A2100 is not = 03

Code the resident's usual performance at the end of the SNF PPS stay for each activity using the 6-point scale. If an activity was not attempted at the end of the SNF PPS stay, code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Resident completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. Substantial/maximal assistance Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- **Dependent** Helper does ALL of the effort. Resident does none of the effort to complete the activity

If activity was not attempted, code reason:

- 07. Resident refused.
- 09. Not applicable.
- 88. Not attempted due to **medical** condition or safety concerns.

	stance of 2 or more helpers is required for the resident to complete the activity.		
3. Discharge Performance			
Enter Codes in Boxes			
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.		
	C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.		
	D. Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed.		
	E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).		
	F. Toilet transfer: The ability to safely get on and off a toilet or commode.		
	H3. Does the resident walk? 0. No → Skip to GG0170Q3, Does the resident use a wheelchair/scooter? 2. Yes → Continue to GG0170J, Walk 50 feet with two turns		
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.		
	Q3. Does the resident use a wheelchair/scooter? 0. No → Skip to H0100, Appliances 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns		
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.		
	RR3. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized		
	S. Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.		
	SS3. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized		

Resident				lc	lentifier	Date
Section	n ł	1	Bladder and B	owel		
H0100. A	۱pp	liances				
↓ Che	ck a	all that apply				
	Α.	Indwelling cathe	eter (including suprapub	ic catheter and nepl	nrostomy tube)	
	В.	External cathete	r			
	c.	Ostomy (includin	g urostomy, ileostomy, a	and colostomy)		
	D.	Intermittent cath	heterization			
	z.	None of the abov	/e			
H0200. U	Jrin	ary Toileting Pr	ogram			
Enter Code	A.	admission/entry of	or reentry or since urinar	y incontinence was		, or bladder training) been attempted on
		 Yes → Conf 	to H0300, Urinary Contin tinue to H0200C, Curren etermine> Continue	t toileting program o		rial
Enter Code	C.	-	program or trial - Is a t nage the resident's urina	3, 3	g., scheduled toiletin	g, prompted voiding, or bladder training) currently
H0300. U	Jrin	ary Continence				
Enter Code	Ur	 Always continuous Occasionally Frequently in Always incom 	incontinent (less than 7 ncontinent (7 or more ep tinent (no episodes of c	episodes of incontinoisodes of urinary incontinoisodes of urinary incontinent voiding)	nence) continence, but at lea	st one episode of continent voiding) urine output for the entire 7 days
H0400. B	Bow	el Continence				
Enter Code	Во	 Always continuous Occasionally Frequently in Always incom 	incontinent (one episod	de of bowel incontin pisodes of bowel incontinent bowel mov	ence) ontinence, but at leas rements)	et one continent bowel movement)
H0500. B	Bow	el Toileting Pro	gram			
Enter Code	ls a	n toileting program 0. No 1. Yes	m currently being used	I to manage the res	ident's bowel contir	nence?

Resident	Identifier	Date
----------	------------	------

Sect	ion I	Active Diagnoses
Active	e Diagn	oses in the last 7 days - Check all that apply
	_	d in parentheses are provided as examples and should not be considered as all-inclusive lists
		Circulation
	10200.	Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)
	10600.	Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)
	10700.	Hypertension
	10800.	Orthostatic Hypotension
	10900.	Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
		urinary
	l1550.	Neurogenic Bladder
	I1650.	Obstructive Uropathy
	Infection	
Щ		Multidrug-Resistant Organism (MDRO)
		Pneumonia
Ш	I2100.	Septicemia
Ш	12200.	Tuberculosis
	-	Urinary Tract Infection (UTI) (LAST 30 DAYS)
	12400.	Viral Hepatitis (e.g., Hepatitis A, B, C, D, and E)
		Wound Infection (other than foot)
	Metab	
닏	-	Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)
Щ		Hyponatremia
		Hyperkalemia
Ш		Hyperlipidemia (e.g., hypercholesterolemia)
		loskeletal
	13900.	Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)
	14000.	Other Fracture
	Neurol	•
Ш	14200.	Alzheimer's Disease
	I4300.	Aphasia
	14400.	Cerebral Palsy
	14500.	Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke
	14800.	Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases)
	14900.	Hemiplegia or Hemiparesis
	15000.	Paraplegia
	I5100.	Quadriplegia
	15200.	Multiple Sclerosis (MS)
	15250.	Huntington's Disease
	15300.	Parkinson's Disease
	15350.	Tourette's Syndrome
	15400.	Seizure Disorder or Epilepsy
\Box		Traumatic Brain Injury (TBI)
	Nutriti	· /
	15600.	Malnutrition (protein or calorie) or at risk for malnutrition

Resident		Identifier	Date
Sect	ion I	Active Diagnoses	
		oses in the last 7 days - Check all that apply d in parentheses are provided as examples and should not be considered as all-inclusive lists	
	Psychia	tric/Mood Disorder	
	15700.	Anxiety Disorder	
	15800.	Depression (other than bipolar)	
\Box	15900.	Manic Depression (bipolar disease)	
$\overline{\Box}$	15950.	Psychotic Disorder (other than schizophrenia)	
	16000.	Schizophrenia (e.g., schizoaffective and schizophreniform disorders)	
П		Post Traumatic Stress Disorder (PTSD)	
	Pulmor		
	l6200.	Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease (e.g., ch diseases such as asbestosis)	ronic bronchitis and restrictive lung
	l6300.	Respiratory Failure	
	Other		
		Additional active diagnoses agnosis on line and ICD code in boxes. Include the decimal for the code in the appropriate box.	
	A		
	_		
	B		
	C.		
	—		
	D		
	E.		
	F		
	G		
	Н		

Resident			ldentifier	Date	
Section	n J	Health Condition	ns		
J0100. Pa	ain Management - (Complete for all residents,	regardless of current pain level		
At any time	e in the last 5 days, has	s the resident:			
	·	ıled pain medication regime	en?		
	0. No				
Fatar Cada	1. Yes	nin medications OR was offe	red and declined?		
Enter Code	0. No	in medications on was one	red and decimed.		
	1. Yes				
Enter Code	C. Received non-me	edication intervention for p	ain?		
	1. Yes				
J0200. S	Should Pain Assess	ment Interview be Cond	ucted?		
Attempt t	to conduct interview v	vith all residents. If resident is	s comatose, skip to J1100, Shortness of	f Breath (dyspnea)	
Enter Code	0. No (resident is	rarely/never understood) →	Skip to and complete J0800, Indicato	ors of Pain or Possible Pain	
	1. Yes → Contir	nue to J0300, Pain Presence			
Pain As	sessment Interv	view			
	Pain Presence				
Enter Code		ve vou had nain or hurti.	ng at any time in the last 5 days	<u> </u>	
Enter Code		p to J1100, Shortness of Bro		•	
	1. Yes → Co	ontinue to J0400, Pain Freq	uency		
		answer → Skip to J0800,	Indicators of Pain or Possible Pain		
J0400. F	Pain Frequency				
Futur Curt			e you experienced pain or hurt	ing over the last 5 days?"	
Enter Code	1. Almost cor	•			
	2. Frequently 3. Occasional				
	4. Rarely	шу			
	9. Unable to a	answer			
J0500. F	Pain Effect on Fur	nction			
	A. Ask resident: "	Over the past 5 days, has	pain made it hard for you to sl	leep at night?"	
Enter Code	0. No				
	1. Yes				
	9. Unable to a		so vou limited vous day to day	activities because of pain?"	
Enter Code	0. No	Over the past 5 days, nav	e you limited your day-to-day	activities because of pain?	
	1. Yes				
	9. Unable to a	inswer			
J0600. F	Pain Intensity - Ad	dminister ONLY ONE of	the following pain intensity qu	estions (A or B)	
	A. Numeric Ratin	ng Scale (00-10)			
Enter Rating	Ask resident: "/	Please rate your worst pa	in over the last 5 days on a zero t	o ten scale, with zero being no pain and ten	
	as the worst pain you can imagine." (Show resident 00 -10 pain scale)				
		it response. Enter 99 if u	nable to answer.		
Enter Code	B. Verbal Descrip				
Litter Code		Please rate the intensity o	r your worst pain over the last 5 o	days." (Show resident verbal scale)	
	1. Mild 2. Moderate				
	3. Severe				

4. Very severe, horrible9. Unable to answer

Sectio	n J	Health Conditions
J0700.	Should the Staff As	ssessment for Pain be Conducted?
Enter Code	0. 140 (30400 = 1	thru 4) → Skip to J1100, Shortness of Breath (dyspnea)) → Continue to J0800, Indicators of Pain or Possible Pain
Staff As	sessment for Pair	1
J0800. lı	ndicators of Pain o	r Possible Pain in the last 5 days
↓ Ch	eck all that apply	
	A. Non-verbal sour	nds (e.g., crying, whining, gasping, moaning, or groaning)
	B. Vocal complaint	ts of pain (e.g., that hurts, ouch, stop)
	C. Facial expressio	ns (e.g., grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth or jaw)
	D. Protective body body part during	movements or postures (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a movement)
	Z. None of these si	gns observed or documented → If checked, skip to J1100, Shortness of Breath (dyspnea)
J0850. F	requency of Indica	tor of Pain or Possible Pain in the last 5 days
Enter Code	1. Indicators of 2. Indicators of	th resident complains or shows evidence of pain or possible pain pain or possible pain observed 1 to 2 days pain or possible pain observed 3 to 4 days pain or possible pain observed daily
Other H	ealth Conditions	
J1100. S	hortness of Breath	(dyspnea)
	eck all that apply	
Ò	A. Shortness of bre	ath or trouble breathing with exertion (e.g., walking, bathing, transferring)
	B. Shortness of bre	ath or trouble breathing when sitting at rest
	C. Shortness of bre	ath or trouble breathing when lying flat
	Z. None of the abov	ve
J1400. P	rognosis	
Enter Code	Does the resident had documentation) 0. No 1. Yes	ve a condition or chronic disease that may result in a life expectancy of less than 6 months? (Requires physician
J1550. P	roblem Conditions	
↓ Che	eck all that apply	
	A. Fever	
	B. Vomiting	
	C. Dehydrated	
	D. Internal bleeding	g
	Z. None of the abov	/e

Identifier Date

Resident

Resident	esident Identifier Date						
Section J	Health Conditions						
J1700. Fall History on Admi							
<u> </u>	0. No 1. Yes						
	ave a fall any time in the last 2-6 months prior to admission/entry or reentry?	_					
	ave any fracture related to a fall in the 6 months prior to admission/entry or reentry?						
J1800. Any Falls Since Adm	ission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent						
recent? 0. No → Skip 1 1. Yes → Con	any falls since admission/entry or reentry or the prior assessment (OBRA or Scheduled PPS), whichever is more o K0100, Swallowing Disorder tinue to J1900, Number of Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)						
J1900. Number of Falls Sind	e Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more received to the control of the con	nt					
Coding: 0. None 1. One 2. Two or more	A. No injury - no evidence of any injury is noted on physical assessment by the nurse or prima care clinician; no complaints of pain or injury by the resident; no change in the resident's behavior is noted after the fall B. Injury (except major) - skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the resident to complain of pain C. Major injury - bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma						
		_					
Section K	Swallowing/Nutritional Status						
K0100. Swallowing Disorde Signs and symptoms of possi Check all that apply							
	olids from mouth when eating or drinking						
	mouth/cheeks or residual food in mouth after meals						
	king during meals or when swallowing medications fficulty or pain with swallowing	_					
Z. None of the above	<u> </u>	_					
	While measuring, if the number is X.1 - X.4 round down; X.5 or greater round up						
	A. Height (in inches). Record most recent height measure since the most recent admission/entry or reentry						
B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard facility practice (e.g., in a.m. after voiding, before meal, with shoes off, etc.)							
K0300. Weight Loss							
O. No or unknow 1. Yes, on physic	n the last month or loss of 10% or more in last 6 months n cian-prescribed weight-loss regimen nysician-prescribed weight-loss regimen						

Resident	Identifier		Date	
Section K	Swallowing/Nutritional Status			
K0310. Weight Gain				
0. No or unknow 1. Yes, on physi	in the last month or gain of 10% or more in last 6 months vn cian-prescribed weight-gain regimen hysician-prescribed weight-gain regimen			
K0510. Nutritional Approa				
	onal approaches that were performed during the last 7 days			
resident entered (admission ago, leave column 1 blank 2. While a Resident	dent of this facility and within the last 7 days . Only check column or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or m		1. While NOT a Resident	2. While a Resident
Performed while a resident	of this facility and within the <i>last 7 days</i>		↓ Check all th	at apply ↓
A. Parenteral/IV feeding				
B. Feeding tube - nasogastric o	or abdominal (PEG)			
C. Mechanically altered diet - thickened liquids)	require change in texture of food or liquids (e.g., pureed food,			
D. Therapeutic diet (e.g., low sa				
Z. None of the above				
K0710. Percent Intake by A	rtificial Route - Complete K0710 only if Column 1 and/or	Column 2 are ch	necked for K0510A a	ind/or K0510B
 While NOT a Resident Performed while NOT a resident of this facility and within the last 7 days. Only enter a code in column 1 if resident entered (admission or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or more days ago, leave column 1 blank While a Resident Performed while a resident of this facility and within the last 7 days During Entire 7 Days 			2. While a Resident	3. During Entire 7 Days
Performed during the entire	last 7 days	,	Enter Codes	_ ↓
 25% or less 26-50% 51% or more 	the resident received through parenteral or tube feeding			
B. Average fluid intake per day by IV or tube feeding 1. 500 cc/day or less 2. 501 cc/day or more				
Section L	Oral/Dental Status			
	Orai/Dental Status			
L0200. Dental				
	h. Casima Call annualis dangung / daina adama dan dan dan	la aulas \		
	ly fitting full or partial denture (chipped, cracked, uncleanab pain, discomfort or difficulty with chewing	ie, or ioose)		
i. Modeli di laciai p	and an annual with the wing			

Section M

Skin Conditions

Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage

M0100. [Determination of Pressure Ulcer Risk							
↓ Che	ck all that apply							
	A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device							
	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)							
	C. Clinical assessment							
	Z. None of the above							
M0150. F	Risk of Pressure Ulcers							
Enter Code	Is this resident at risk of developing pressure ulcers? 0. No 1. Yes							
M0210. U	Jnhealed Pressure Ulcer(s)							
Enter Code	Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?							
	 No → Skip to M0900, Healed Pressure Ulcers Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers at Each Stage 							
M0300. C	Current Number of Unhealed Pressure Ulcers at Each Stage							
Enter Number	A. Number of Stage 1 pressure ulcers Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues							
Enter Number	B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister							
Enter Number	 Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3 Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry 							
	3. Date of oldest Stage 2 pressure ulcer - Enter dashes if date is unknown:							
	— — — Month Day Year							
Enter Number	C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling							
	1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4							
Enter Number	2. Number of these Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry							
Enter Number	D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling							
	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable - Non-removable dressing							
Enter Number	2. Number of these Stage 4 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry							
M030	0 continued on next page							

Resident		Identifier	Date
Section M	Skin Conditions		
M0300. Current Number	of Unhealed Pressure Ulcers	at Each Stage - Continued	
E. Unstageable -	Non-removable dressing: Know	n but not stageable due to non-remo	ovable dressing/device
1. Number of Slough and	=	e to non-removable dressing/device	e - If 0 → Skip to M0300F, Unstageable -
	these unstageable pressure ulce time of admission/entry or reentr		on/entry or reentry - enter how many were
F. Unstageable -	Slough and/or eschar: Known b	ut not stageable due to coverage of v	wound bed by slough and/or eschar
	unstageable pressure ulcers due e - Deep tissue injury	e to coverage of wound bed by slou	igh and/or eschar - If 0 → Skip to M0300G,
	these unstageable pressure ulce time of admission/entry orreentry		on/entry or reentry - enter how many were
G. Unstageable	Deep tissue injury: Suspected d	eep tissue injury in evolution	
	unstageable pressure ulcers wit I Stage 3 or 4 Pressure Ulcers or Eso		evolution - If 0 -> Skip to M0610, Dimension
	these unstageable pressure ulce time of admission/entry or reentr		on/entry or reentry - enter how many were
	nhealed Stage 3 or 4 Pressure . M0300D1 or M0300F1 is great		
	e unhealed Stage 3 or 4 pressure u area (length x width) and record in		er due to slough or eschar, identify the pressure
. cm A. Pre	essure ulcer length: Longest leng	th from head to toe	
B. Pre	essure ulcer width: Widest width	of the same pressure ulcer, side-to-side	de perpendicular (90-degree angle) to length
	essure ulcer depth: Depth of the ster a dash in each box)	same pressure ulcer from the visible s	surface to the deepest area (if depth is unknown,
M0700. Most Severe Tiss	ue Type for Any Pressure Ulc	er	
Enter Code 1. Epithelial 1 2. Granulatio 3. Slough - y	tissue - new skin growing in super on tissue - pink or red tissue with sellow or white tissue that adherese ack, brown, or tan tissue that adhe	shiny, moist, granular appearance to the ulcer bed in strings or thick clu	hiny, even in persons with darkly pigmented skin
		or Assessment (OBRA or Schedule	d PPS) or Last Admission/Entry or Reentry
Complete only if A0310E = Indicate the number of curren	0 t pressure ulcers that were not pr e	esent or were at a lesser stage on p	rior assessment (OBRA or scheduled PPS) or last
Enter Number A. Stage 2	no current pressure ulcer at a give	n stage, enter U	
Enter Number B. Stage 3			
C. Stage 4			
MDC 2 AND 1 III A		: 10/01/2017	D 05 (4

Resident			Identifier	Date
Section	n M	Skin Conditions		
	Healed Pressure Uld	ers		
	only if A0310E = 0	core process on the prior accoreme	ent (OPPA or schodulad P	DC12
Enter Code		cers present on the prior assessme o M1030, Number of Venous and Arte		rs):
	•	inue to M0900B, Stage 2	eriai oicers	
				RA or scheduled PPS) that have completely closed rior assessment (OBRA or scheduled PPS), enter 0.
Enter Number				
	B. Stage 2			
Enter Number	C. Stage 3			
Enter Number	D. Store 4			
	D. Stage 4			
M1030. N	Number of Venous	and Arterial Ulcers		
Enter Number	Enter the total number	per of venous and arterial ulcers pro	esent	
M1040 (Other Illcers Woun	ds and Skin Problems		
	eck all that apply			
₩ CII	Foot Problems			
		oot (e.g., cellulitis, purulent drainage))	
	B. Diabetic foot ulc	er(s)		
	C. Other open lesio	n(s) on the foot		
	Other Problems			
	D. Open lesion(s) ot	her than ulcers, rashes, cuts (e.g., ca	ancer lesion)	
	E. Surgical wound(s)		
	F. Burn(s) (second o	r third degree)		
	G. Skin tear(s)			
		ted Skin Damage (MASD) (e.g., inco	ontinence-associated dern	natitis [IAD], perspiration, drainage)
	None of the Above			
	Z. None of the above			
M1200. S	Skin and Ulcer Trea	tments		
↓ Ch	eck all that apply			
	A. Pressure reducin			
	B. Pressure reducin			
	C. Turning/reposition			
	<u> </u>	ation intervention to manage skin p	oroblems	
	E. Pressure ulcer ca			
	F. Surgical wound o			
		onsurgical dressings (with or withou		er than to feet
		intments/medications other than to		
		essings to feet (with or without topic	cal medications)	
	Z. None of the above	e were provided		

Resident			Identifier	Date
Section	n N	Medications		
N0300. I	njections			
Enter Days		mber of days that injections of the state of the No410, Medication		7 days or since admission/entry or reentry if less
N0350. I	nsulin			
Enter Days	A. Insulin injection or reentry if les		ays that insulin injections were received	d during the last 7 days or since admission/entry
Enter Days			lays the physician (or authorized assist admission/entry or reentry if less than 7 of	ant or practitioner) changed the resident's days
N0410. N	Medications Rece	eived		
				ical classification, not how it is used, during the received by the resident during the last 7 days
Enter Days	A. Antipsychotic			
Enter Days	B. Antianxiety			
Enter Days	C. Antidepressar	nt		
Enter Days	D. Hypnotic			
Enter Days	E. Anticoagulant	t (e.g., warfarin, heparin, or low	-molecular weight heparin)	
Enter Days	F. Antibiotic			
Enter Days	G. Diuretic			
Enter Days	H. Opioid			
N0450. A	 Antipsychotic Me	dication Review		
Enter Code	A. Did the reside	nt receive antipsychotic med	dications since admission/entry or reen	try or the prior OBRA assessment, whichever is
Zinter code	more recent?	ushatiss ware not resolved	Chin to 00100 Special Treatments Dress	adures and Drograms
			Skip to O0100, Special Treatments, Procedutine basis only → Continue to N0450B,	
			RN basis only> Continue to N0450B, Ha	•
			butine and PRN basis \rightarrow Continue to N04	•
Enter Code		dose reduction (GDR) been a		130b, Has a GDN been attempted:
Litter Code	0. No → Skip		ented GDR as clinically contraindicated	
	C. Date of last at	tempted GDR:		
	_	_		
	Month	Day Year		
N045	0 continued on n	ext page		

Resident _				ldentifier	Date
Sectio	n N		Medications		
N0450.	Anti	osychotic Medi	ication Review - Continu	ued	
Enter Code		•	•		→ Skip to O0100, Special Treatments, Procedures,
			s been documented by a ph ally contraindicated	nysician as clinically contraindicated ->	Continue to N0450E, Date physician documented
	E.	Date physician d	locumented GDR as clinica	ally contraindicated:	

Month

Day

Year

Resident		Identifier	Date		
Sectio	n O	Special Treatments, Procedures, and Program	ns		
	-	, Procedures, and Programs ents, procedures, and programs that were performed during the last 14 day	S		
Perfor reside ago, le		dent of this facility and within the last 14 days . Only check column 1 if or reentry) IN THE LAST 14 DAYS. If resident last entered 14 or more days	1. While NOT a Resident	2. While a Resident	
		of this facility and within the <i>last 14 days</i>	↓ Check all t	hat apply ↓	
Cancer Tr					
A. Chemo					
B. Radiat			Ш	Ш	
C. Oxyge	ry Treatments				
D. Suction					
E. Trache	eostomy care				
F. Ventila	ator or respirator				
Other					
H. IV med	lications				
I. Transfusions					
J. Dialysis					
K. Hospid	ce care				
M. Isolati precau	-	active infectious disease (does not include standard body/fluid			
O0250. I	nfluenza Vaccine -	Refer to current version of RAI manual for current influenza vaccinati	on season and repo	rting period	
Enter Code	A. Did the resident	receive the influenza vaccine in this facility for this year's influenza vaccina	ation season?		
		to O0250C, If influenza vaccine not received, state reason tinue to O0250B, Date influenza vaccine received			
	B. Date influenza v	accine received \longrightarrow Complete date and skip to O0300A, Is the resident's Pn	eumococcal vaccinati	on up to date?	
	_ Month	– Day Year			
Enter Code C. If influenza vaccine not received, state reason: 1. Resident not in this facility during this year's influenza vaccination season 2. Received outside of this facility 3. Not eligible - medical contraindication 4. Offered and declined 5. Not offered 6. Inability to obtain influenza vaccine due to a declared shortage 9. None of the above					
O0300. I	Pneumococcal Vaco	ine			
Enter Code	0. No → Conti	Pneumococcal vaccination up to date? nue to O0300B, If Pneumococcal vaccine not received, state reason to O0400, Therapies			
Enter Code		vaccine not received, state reason: medical contraindication declined			

Resident Identifier Date Section O Special Treatments, Procedures, and Programs **00400.** Therapies A. Speech-Language Pathology and Audiology Services **Enter Number of Minutes** 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days **Enter Number of Minutes** 2. Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days **Enter Number of Minutes** 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days If the sum of individual, concurrent, and group minutes is zero, → skip to 00400A5, Therapy start date **Enter Number of Minutes 3A.** Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions in the last 7 days **Enter Number of Days** 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days **6.** Therapy end date - record the date the most recent **5.** Therapy start date - record the date the most recent therapy regimen (since the most recent entry) ended therapy regimen (since the most recent entry) started - enter dashes if therapy is ongoing Month Month Day Year **B.** Occupational Therapy **Enter Number of Minutes** 1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually in the last 7 days **Enter Number of Minutes** 2. Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days **Enter Number of Minutes** 3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days If the sum of individual, concurrent, and group minutes is zero, → skip to O0400B5, Therapy start date **Enter Number of Minutes** 3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in **co-treatment sessions** in the last 7 days **Enter Number of Days** 4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days **6. Therapy end date** - record the date the most recent

Month

00400 continued on next page

5. Therapy start date - record the date the most recent

Day

therapy regimen (since the most recent entry) started

therapy regimen (since the most recent entry) ended

- enter dashes if therapy is ongoing

Day

Month

Resident	Identifier Date Date					
Section O	Section O Special Treatments, Procedures, and Programs					
O0400. Therapies	- Continued					
	C. Physical Therapy					
Enter Number of Minutes 1. Individual minutes - record the total number of minutes this therapy was administered to the residen in the last 7 days						
Enter Number of Minutes	Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident in the last 7 days					
Enter Number of Minutes	3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents in the last 7 days)				
	If the sum of individual, concurrent, and group minutes is zero, → skip to O0400C5, Therapy start date					
Enter Number of Minutes	3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions in the last 7 days					
Enter Number of Days	4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days					
	 Therapy start date - record the date the most recent therapy regimen (since the most recent entry) started Therapy end date - record the date the most recent therapy regimen (since the most recent entry) ended - enter dashes if therapy is ongoing 					
	Month Day Year Month Day Year					
	D. Respiratory Therapy					
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days					
	E. Psychological Therapy (by any licensed mental health professional)					
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days					
O0420. Distinct Ca	alendar Days of Therapy					
Record the number of calendar days that the resident received Speech-Language Pathology and Audiology Services, Occupational Therapy, or Physical Therapy for at least 15 minutes in the past 7 days.						
O0450. Resumption of Therapy - Complete only if A0310C = 2 or 3 and A0310F = 99						
A. Has a previous rehabilitation therapy regimen (speech, occupational, and/or physical therapy) ended, as reported on this End of Therapy OMRA, and has this regimen now resumed at exactly the same level for each discipline? 0. No Skip to O0500, Restorative Nursing Programs 1. Yes						
	on which therapy regimen resumed:					
Mor	Month Day Year					

esident		Identifier	Date
Sectio	n O	Special Treatments, Procedures, and Pro	grams
O0500. F	Restorative Nursing	Programs	
Record the (enter 0 if r	number of days each	n of the following restorative programs was performed (for at least 15 inutes daily)	5 minutes a day) in the last 7 calendar days
Number of Days	Technique		
	A. Range of motion	n (passive)	
	B. Range of motion	ı (active)	
	C. Splint or brace a	ssistance	
Number of Days	Training and Skill P	ractice In:	
	D. Bed mobility		
	E. Transfer		
	F. Walking		
	G. Dressing and/or	grooming	
	H. Eating and/or sv	vallowing	
	I. Amputation/pro	stheses care	
	J. Communication		
O0600. P	hysician Examinat	ions	
Enter Days			

Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) examine the resident?

00700. Physician Orders

Enter Days

Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) change the resident's orders?

esident			Identifier	Date
Section P	Restraints and Al	arms		
P0100. Physical Rest	raints			
	nmanual method or physical or mechors or mechors or mechors or mechors or many many mechors or mechors or many many mechors or mechors or many mechors or mech			ached or adjacent to the resident's body that ody
			inter Codes in Boxes	
			Used in Bed	
			A. Bed rail	
			B. Trunk restraint	
			C. Limb restraint	
Coding: 0. Not used 1. Used less than daily			D. Other	
2. Used daily	пу		Used in Chair or Out of Bed	
			E. Trunk restraint	
			F. Limb restraint	
			G. Chair prevents rising	
			H. Other	
P0200. Alarms				
An alarm is any physical o	or electronic device that monitors res	ident m	ovement and alerts the staff whe	n movement is detected
		↓ E	Inter Codes in Boxes	
			A. Bed alarm	
			B. Chair alarm	
Coding: 0. Not used 1. Used less than dai	ilv		C. Floor mat alarm	
2. Used daily			D. Motion sensor alarm	

D. Motion sensor alarm

F. Other alarm

E. Wander/elopement alarm

Resident			Identifier	Date
Sectio	n Q	Participation in	Assessment and Goal	Setting
Q0100. F	Participation in Ass	sessment		
Enter Code	A. Resident partici 0. No 1. Yes	pated in assessment		
Enter Code	0. No 1. Yes	icant other participated in a		
Enter Code	0. No 1. Yes	ally authorized representat s no guardian or legally aut	tive participated in assessment horized representative	
	Resident's Overall	Expectation		
Complete	only if A0310E = 1		P-1	
Enter Code	 Expects to be Expects to re 	discharged to the commu main in this facility discharged to another faci	·	
Enter Code	Resident If not residen	-	other then guardian or legally authorize	ed representative
Q0400. [Discharge Plan			
Enter Code	0. No	rge planning already occuri	ring for the resident to return to th	e community?
Q0490. F	<u> </u>	nce to Avoid Being Asked	d Question Q0500B	
Complete	only if A0310A = 02, 0	6, or 99		
Enter Code	0. No	clinical record document a to Q0600, Referral	request that this question be asked	ed only on comprehensive assessments?
Q0500. F	Return to Commun	ity		
Enter Code	respond): "Do y	ou want to talk to somedes in the community?"		epresentative if resident is unable to understand or ving this facility and returning to live and
Q0550. F	Resident's Preferer	nce to Avoid Being Asked	d Question Q0500B Again	
Enter Code	respond) want to assessments.)	be asked about returning		representative if resident is unable to understand or ents? (Rather than only on comprehensive comprehensive assessment
Enter Code		ation source for Q0550A		

2. If not resident, then **family or significant other**

3. If not resident, family or significant other, then **guardian or legally authorized representative**

1. Resident

9. None of the above

Resident Identifier Date	
--------------------------	--

Section Q

Participation in Assessment and Goal Setting

Q0600. Referral

Enter Code

Has a referral been made to the Local Contact Agency? (Document reasons in resident's clinical record)

- 0. No referral not needed
- 1. **No** referral is or may be needed (For more information see Appendix C, Care Area Assessment Resources #20)
- 2. Yes referral made

esident			ldentifier	Date
Sectior	ı X	Correction Request		
dentifica section, rep	tion of Record to be roduce the informati	ly if A0050 = 2 or 3 De Modified/Inactivated - The on EXACTLY as it appeared on the locate the existing record in the Na	existing erroneous record, eve	isting assessment record that is in error. In this n if the information is incorrect.
X0150. Ty	ype of Provider (A	0200 on existing record to be m	nodified/inactivated)	
Enter Code	Type of provider 1. Nursing hom 2. Swing Bed	e (SNF/NF)		
X0200. N	ame of Resident (A	A0500 on existing record to be	modified/inactivated)	
	A. First name: C. Last name:			
X0300. G	ender (A0800 on e	xisting record to be modified/ir	nactivated)	
Enter Code	1. Male 2. Female			
X0400. Bi	irth Date (A0900 o	n existing record to be modified	d/inactivated)	
	– Month	– Day Year		
X0500. S	ocial Security Nun	nber (A0600A on existing recor	d to be modified/inactivate	d)
	_	-		
X0600. Ty	ype of Assessment	t (A0310 on existing record to b	e modified/inactivated)	
Enter Code	01. Admission a 02. Quarterly re 03. Annual asse 04. Significant o 05. Significant	ssment change in status assessment correction to prior comprehensiv correction to prior quarterly asse		
Enter Code	 01. 5-day sched 02. 14-day sche 03. 30-day sche 04. 60-day sche 05. 90-day sche PPS Unschedule 	Assessments for a Medicare Part uled assessment duled assessment duled assessment duled assessment duled assessment duled assessment duled assessment ed Assessments for a Medicare Pa ed assessment used for PPS (OMR nent	art A Stay	e, or significant correction assessment)
Litter Code	C. PPS Other Medic 0. No 1. Start of thera 2. End of thera 3. Both Start an	care Required Assessment - OMR Apy assessment by assessment ad End of therapy assessment erapy assessment	A	

Resident			Identifier	Date			
Section 2	X	Correction Request					
X0600. Type of Assessment - Continued							
Enter Code D.	 D. Is this a Swing Bed clinical change assessment? Complete only if X0150 = 2 0. No 1. Yes 						
Enter Code F.	F. Entry/discharge reporting 01. Entry tracking record 10. Discharge assessment-return not anticipated 11. Discharge assessment-return anticipated 12. Death in facility tracking record 99. None of the above						
Enter Code H.	. Is this a SNF Part 0. No 1. Yes	A PPS Discharge Assessment?					
X0700. Dat	e on existing reco	ord to be modified/inactivated - Com	plete one only				
	– Month	erence Date (A2300 on existing record to — Day Year					
B.	_	A2000 on existing record to be modified. — Day Year	(inactivated) - Complete only if X0600	F = 10, 11, or 12			
C.	Entry Date (A160 — Month	0 on existing record to be modified/inac — Day Year	ivated) - Complete only if X0600F = 0	1			
Correction A	Attestation Secti	on - Complete this section to explain	n and attest to the modification/in	activation request			
X0800. Cor	rection Number						
Enter Number Er	nter the number of	f correction requests to modify/inactiv	ate the existing record, including t	ne present one			
X0900. Rea	X0900. Reasons for Modification - Complete only if Type of Record is to modify a record in error (A0050 = 2)						
5V/-	all that apply						
	. Transcription er	or					
	Data entry error						
	Software produc						
	. Item coding erro	Resumption (EOT-R) date					
		<u>-</u>					
Z.	If "Other" checked	iring modification d, please specify: 					
X1050. Reasons for Inactivation - Complete only if Type of Record is to inactivate a record in error (A0050 = 3)							
↓ Check	↓ Check all that apply						
A.	. Event did not oc	cur					
Z.	Other error requ If "Other" checked						

Resident	esident		Identifier	Date	
	Ī				

Section	X	Correction Request
X1100. RN	l Assessment Coo	ordinator Attestation of Completion
	A. Attesting individ	dual's first name:
E	3. Attesting individ	dual's last name:
	C. Attesting individ	dual's title:
	O. Signature	
E	E. Attestation date	• -
	Month	Day Year

Resident		Identifier	Date			
Sectio	n Z	Assessment Administration				
Z0100. Medicare Part A Billing						
	A. Medicare Part A B. RUG version code	HIPPS code (RUG group followed by assessment type indicat	or):			
Enter Code	C. Is this a Medicare 0. No 1. Yes	Short Stay assessment?				
Z0150. N	/ledicare Part A Nor	-Therapy Billing				
	A. Medicare Part A	non-therapy HIPPS code (RUG group followed by assessmen	nt type indicator):			
Z0200. S	tate Medicaid Billir	g (if required by the state)				
	RUG Case Mix gro B. RUG version code					
Z0250. A	lternate State Med	icaid Billing (if required by the state)				
	A. RUG Case Mix gro B. RUG version code					
Z0300. Insurance Billing						
	A. RUG billing code B. RUG billing versi					

		11 22					
Resident	Assessment Admini	Identifier	Date				
I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.							
9	Signature	Title	Sections	Date Section Completed			
A.							
B.							
C.							
D.							
E.							
F.							
G.							
H.							
I.							
J.							
K.							
L.							

Legal Notice Regarding MDS 3.0 - Copyright 2011 United States of America and interRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9; Confusion Assessment Method. © 1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Both Pfizer Inc. and the Hospital Elder Life Program, LLC have granted permission to use these instruments in association with the MDS 3.0.

Z0500. Signature of RN Assessment Coordinator Verifying Assessment Completion

A. Signature:

B. Date RN Assessment Coordinator signed

Day

Year

assessment as complete:

Month